



(2 Pack) Spring Perch / Pad for 2-3/8" Round Axles

2-3/8" Round Axle Spring Perches / Pads (2 Pack)

[Read More](#)

SKU: 005-059-00(4)-1-1-1

Categories: [Axles](#)

Product Description

2-3/8" Round Axle Spring Perches / Pads (2 Pack)

Fits all 2-3/8" Round Axles

Made in USA



(2 Pack) Spring Perch / Pad for 3" Round Axles

3" Round Axle Spring Perches / Pads (2 Pack)

[Read More](#)

SKU: 005-059-00(4)-1-1-1-1

Categories: [Axles](#)

Product Description

3" Round Axle Spring Perches / Pads (2 Pack)

Fits all 3" Round Axles

Made in USA



(4 Pack) Spring Perch / Pad for 2-3/8" Round Axles

2-3/8" Round Axle Spring Perches / Pads (4 Pack)

[Read More](#)

SKU: 6R-47KF-NWLF

Categories: [Axles](#)

Product Description

2-3/8" Round Axle Spring Perches / Pads (4 Pack)

Part# SP-2.375

Fits all 2-3/8" Round Axles

Made in USA



(4 Pack) Spring Perch / Pad for 3" Round Axles

3" Round Axle Spring Perches / Pads (4 Pack)

[Read More](#)

SKU: 005-059-00(4)-1

Categories: [Axles](#)

Product Description

3" Round Axle Spring Perches / Pads (4 Pack)

Fits all 3" Round Axles

Made in USA



Ankra Cargo 50140-10 Load Binder

Ankra Cargo 50140-10 Load Binder

[Read More](#)

SKU: 005-059-00(4)-1-1-1-1

Categories: [Axles](#), [Tie Down Straps](#)

Product Description

- Ankra Cargo 50140-10 Load Binder
- 5,400 WLL
- Self contained chain binder to secure loads.
- Works in combination with 5/16-in grade 70 or 3/8-in grade 43 chain assemblies.
- Makes loading and unload faster
- Extra long molded grip ratchet handle
- Steel construction with electro zinc plating. Free wheel function for quick take up. Swivel grab hooks.



Ankra Cargo 50140-11 Load Binder

Ankra Cargo 50140-11 Load Binder

- High-strength steel with electro zinc plating

- Free wheel function for quick take up to 12"
- Working Load Limit of 6,600 lbs/3,000 kgs
- Accepts chain from 5/16-in. G70 up to 3/8-in. G70
- Durable and long lasting

[Read More](#)

SKU: 005-059-00(4)-1-1-1-1-1

Categories: [Axles](#), [Tie Down Straps](#)

Product Description

- Ancra Cargo 50140-11 Load Binder
- 6,600 WLL
- High-strength steel with electro zinc plating
- Free wheel function for quick take up to 12"
- Working Load Limit of 6,600 lbs/3,000 kgs
- Accepts chain from 5/16-in. G70 up to 3/8-in. G70
- Durable and long lasting



Dexter Brand 10000 LBS 10K Electric Brake Complete Trailer Axle Assembly

7K Brake Complete Trailer Axle Assembly Made In USA

[Read More](#)

SKU: TS10KAXLE

Categories: [10K Axles](#), [Axles](#)

Product Description

Dexter Brand 10000 LBS BRAKE AXLE

IN STOCK SIZES:

70" Outer Hub Face / 42" Spring Center Measurement

74" Outer Hub Face / 46" Spring Center Measurement

12-1/4" x 3-3/8" Electric Brakes and 5/8" studs

Tube Diameter is 5"

Oil Lube but can be converted to Grease

Please call 912.367.3007 Ext 310 OR 3011 for Freight Quote

Custom Sizes available to order

This is a brand new brake axle rated at 10000 lbs. Does have ELECTRIC brakes, already painted, with 30.5" Slipper springs. Has a 8x6.5" bolt pattern, other bolt patterns available!
Simply bolt on the tires and you're ready to go.

To measure the Hub Face: measure from one end of the axle where the lug bolts protrude out from to the other end at the same point. This is the Hub Face.

To measure the Spring Center: Measure from the middle of the spring center on one end to the spring center on the other end. There should be a/b 28" difference between the Hub Face and the Spring Center measurement.

We also have hydraulic brakes.

All Freight quotes are considered to a Business/Commercial Address or Nearest Terminal to the provided zip/postal code.

Freight Residential Delivery is available at an additional cost.



Dexter Brand 3.5K 4" Drop Electric Brake Complete Trailer Axle Assembly

3.5K 4" Drop Brake Complete Trailer Axle Assembly Made In USA

[Read More](#)

SKU: D3.5KaxleBRAKE4D

Categories: [3500# Axles](#), [Axles](#)

Product Description

Dexter Brand 3500LB 4" Drop BRAKE AXLE

IN STOCK SIZES:

95" Outer Hub Face / 80" Spring Center Measurement - COMMON ON OUR
POWER TILT TRAILERS

95" Outer Hub Face / 75" Spring Center Measurement - COMMON ON OUR GRAVITY TILT TRAILERS

Please call 912.367.3007 Ext 310 OR 3011 for Freight Quote

PLEASE NOTE, A NEW FREIGHT SURCHARGE OF \$100 IS ADDED TO ANYTHING OVER 97" Length

Custom Sizes available.

These include the EASY/ACCU-LUBE spindles, so no need to add buddy bearings.

This is a brand new brake axle rated at 3500 lbs. Does have ELECTRIC brakes, already painted, with 25.25" double eye springs. Has a 5x4.5" bolt pattern, other bolt patterns available! Simply bolt on the tires and you're ready to go.

To ensure you receive the correct axles, email or call me.

To measure the Hub Face: measure from one end of the axle where the lug bolts protrude out from to the other end at the same point. This is the Hub Face.

To measure the Spring Center: Measure from the middle of the spring center on one end to the spring center on the other end. There should be a/b 15" difference between the Hub Face and the Spring Center measurement.

We also have Torsion axles or axles with hydraulic brakes in addition to having many Drop axles in stock.

All Freight quotes are considered to a Business/Commercial Address or Nearest Terminal to the provided zip/postal code.

Freight Residential Delivery is available at an additional cost.



DEXTER Brand 3.5K Electric Brake Complete Trailer Axle Assembly

3.5K Brake Complete Trailer Axle Assembly Made In USA

[Read More](#)

SKU: DEX3.5KaxleBRAKE

Categories: [Axles](#)

Product Description

DEXTER Brand 3500LB BRAKE AXLE

PLEASE NOTE, A NEW FREIGHT SURCHARGE OF \$100 IS ADDED TO ANYTHING OVER 97" LENGTH

Example: 95" Hub Face / 80" Spring Center.

These include the EASY/ACCU-LUBE spindles, so no need to add buddy bearings.

This is a brand new brake axle rated at 3500 lbs. Does have 10 x 2-1/4" ELECTRIC brakes, already painted, with 25.25" double eye springs. Has a 5x4.5" bolt pattern, other bolt patterns available! Simply bolt on the tires and you're ready to go.

To ensure you receive the correct axles, email or call me.

To measure the Hub Face: measure from one end of the axle where the lug bolts protrude out from to the other end at the same point. This is the Hub Face.

To measure the Spring Center: Measure from the middle of the spring center on one end to the spring center on the other end. There should be a/b 15" difference between the Hub Face and the Spring Center measurement.

All Freight quotes are considered to a Business/Commercial Address or Nearest Terminal to the provided zip/postal code.

Freight Residential Delivery is available at an additional cost.



912.367.3007 for FREIGHT QUOTES



DEXTER Brand 3.5K Idler Complete Trailer Axle Assembly

Choose your size from the drop box list or call for a custom size.
Made in USA !!!

[Read More](#)

SKU: Dex3500#IdlerAxle

Categories: [3500# Axles](#), [Axles](#)

Product Description

DEXTER Brand 3500LB IDLER (NO BRAKE) COMPLETE AXLE 25.25" Double Eye Springs & Ubolts

FREE SHIPPING!!

Choose your size

95" Hub Face / 80" Spring Center Measurement for this 3.5K Idler Axle

89" Hub Face / 74" Spring Center Measurement for this 3.5K Idler Axle

85" Hub Face / 70" Spring Center Measurement for this 3.5K Idler Axle

73" Hub Face / 58" Spring Center Measurement for this 3.5K Idler Axle

61" Hub Face / 46" Spring Center Measurement for this 3.5K Idler Axle

49" Hub Face / 34" Spring Center Measurement for this 3.5K Idler Axle

These include the EASY/ACCU-LUBE spindles, so no need to add buddy bearings.

This is a brand new brake axle rated at 3500 lbs. Painted Black, with 25.25" double eye springs. Has a 5x4.5" bolt pattern, other bolt patterns available!

Simply bolt on the tires and you're ready to go.

To ensure you receive the correct axles, email or call me.

To measure the Hub Face: measure from one end of the axle where the lug bolts protrude out from to the other end at the same point. This is the Hub Face.

To measure the Spring Center: Measure from the middle of the spring center on one end to the spring center on the other end. There should be a/b 15" difference between the Hub Face and the Spring Center measurement.


We also have Torsion axles or axles with hydraulic brakes in addition to having many Drop axles in stock.

All Freight quotes are considered to a Business/Commercial Address or Nearest Terminal to the provided zip/postal code.

Freight Residential Delivery is available at an additional cost.



912 367 3007



Dexter Brand 4" DROP 7000# Brake Axle Complete

4" DROP 7000# Brake Axle Complete

[Read More](#)

SKU: D7KBrakeAxleDrop

Categories: [Axles](#)

Product Description

(1) Dexter Brand 4" Drop 7000LB CAMBERED BRAKE AXLE WITH ACCU-LUBE EASY GREASE SPINDLE Completely Assembled w/ Ubolts and 27" Slipper Springs

PLEASE NOTE, A NEW FREIGHT SURCHARGE OF \$100 IS ADDED TO ANYTHING OVER 97" Length

AXLE SIZE : 96" HUB FACE / 80" SPRING CENTER

95" HUB FACE / 75" SPRING CENTER

This is a brand new brake axle rated at 7000 lbs.

Axle has ELECTRIC brakes and uses a Bottom Mount Slipper spring setup, double eye is optional.

Already painted, Galvanization is available.

Has an 8X6.5" bolt pattern for your rims. Simply bolt on the tires and you're ready to go.

To measure the Hub Face: measure from one end of the axle where the lug bolts protrude out from to the other end at the same point. This is the Hub Face.

To measure the Spring Center: Measure from the middle of the spring center on one end to the spring center on the other end. There should be a/b 15" difference between the Hub Face and the Spring Center measurement.

We can build Torsion axles or axles with hydraulic brakes & Drop Axles, pretty much any custom order axle you need.

All Freight quotes are considered to a Business/Commercial Address or Nearest Terminal to the provided zip/postal code.

Call 912 367 3007 EXT 310 for a quote today.

Freight Residential Delivery is available at an additional cost.



Dexter Brand 5200 LBS 4" Drop Electric Brake Complete Trailer Axle Assembly

5.2K 4" Drop Brake Complete Trailer Axle Assembly Made In USA

[Read More](#)

SKU: D3.5KaxleBRAKE4D-1

Categories: [5200# Axles](#), [Axles](#)

Product Description

Dexter Brand 5200 LBS 4" Drop BRAKE AXLE

IN STOCK SIZES:

96" Outer Hub Face / 80" Spring Center Measurement - COMMON ON OUR
POWER TILT TRAILERS

95" Outer Hub Face / 75" Spring Center Measurement - COMMON ON OUR
GRAVITY TILT TRAILERS

Please call 912.367.3007 Ext 310 OR 3011 for Freight Quote

PLEASE NOTE, A NEW FREIGHT SURCHARGE OF \$100 IS ADDED TO ANYTHING OVER
97" Length

Custom Sizes available.

These include the EASY/ACCU-LUBE spindles, so no need to add buddy bearings.

This is a brand new brake axle rated at 5200 lbs. Does have AUTO-ADJUST ELECTRIC brakes, already painted, with 25.25" double eye springs. Has a 6x5.5" bolt pattern, other bolt patterns available! Simply bolt on the tires and you're ready to go.

To ensure you receive the correct axles, email or call me.

To measure the Hub Face: measure from one end of the axle where the lug bolts protrude out from to the other end at the same point. This is the Hub Face.

To measure the Spring Center: Measure from the middle of the spring center on one end to the spring center on the other end. There should be a/b 15" difference between the Hub Face and the Spring Center measurement.

We also have Torsion axles or axles with hydraulic brakes in addition to having many Drop axles in stock.

All Freight quotes are considered to a Business/Commercial Address or Nearest Terminal to the provided zip/postal code.

Freight Residential Delivery is available at an additional cost.



Dexter Brand 5200 LBS Electric Brake Complete Trailer Axle Assembly

5.2K Brake Complete Trailer Axle Assembly Made In USA

[Read More](#)

SKU: D5.2KaxleBRAKE-1-1-1-1

Categories: [5200# Axles](#), [Axles](#)

Product Description

Dexter Brand 5200 LBS BRAKE AXLE

IN STOCK SIZES:

95" Outer Hub Face / 80" Spring Center Measurement

85" Outer Hub Face / 70" Spring Center Measurement

73" Outer Hub Face / 58" Spring Center Measurement

12" x 2" Electric Brakes and 1/2" studs

Please call 912.367.3007 Ext 310 OR 3011 for Freight Quote

PLEASE NOTE, A NEW FREIGHT SURCHARGE OF \$100 IS ADDED TO ANYTHING OVER
97" Length

Custom Sizes available.

These include the EASY/ACCU-LUBE spindles, so no need to add buddy bearings.

This is a brand new brake axle rated at 5200 lbs. Does have ELECTRIC brakes, already painted, with 25.25" Double Eye springs. Has a 6x5.5" bolt pattern, other bolt patterns available! Simply bolt on the tires and you're ready to go.

To ensure you receive the correct axles, email or call me.

To measure the Hub Face: measure from one end of the axle where the lug bolts protrude out from to the other end at the same point. This is the Hub Face.

To measure the Spring Center: Measure from the middle of the spring center on one end to the spring center on the other end. There should be a/b 15" difference between the Hub Face and the Spring Center measurement.

We also have Torsion axles or axles with hydraulic brakes in addition to having many Drop axles in stock.

All Freight quotes are considered to a Business/Commercial Address or Nearest Terminal to the provided zip/postal code.

Freight Residential Delivery is available at an additional cost.



Dexter Brand 5200# Brake Axle Complete

5200# Brake Axle Complete Made in USA Free Shipping to
Commercial Address / Terminal

[Read More](#)

SKU: D5.2KBrakeAxle

Categories: [Axles](#)

Product Description

(1) Dexter Brand 5200LB CAMBERED BRAKE AXLE WITH ACCU-LUBE EASY GREASE SPINDLE COMPLETE with 25.25" Double Eye Springs attached with Ubolts.

PLEASE NOTE, A NEW FREIGHT SURCHARGE OF \$100 IS ADDED TO ANYTHING OVER 97" Length

Choose AXLE SIZE from the Dropdown Box:

95" HUB FACE / 80" SPRING CENTER

85" Hub Face / 70" Spring Center

This is a brand new brake axle rated at 5200 lbs.

Does have brakes, already painted, with springs.

Has an 6X5.5"bolt pattern. Simply bolt on the tires and you're ready to go.

Thanks.

These 5200 LB axle use a Double Eye spring setup, Slipper springs are optional.

Call for a freight quote 912 367 3007 ext 310

To measure the Hub Face: measure from one end of the axle where the lug bolts protrude out from to the other end at the same point. This is the Hub Face.

To measure the Spring Center: Measure from the middle of the spring center on one end to the spring center on the other end. There should be a/b 15" difference between the Hub Face and the Spring Center measurement.

All Freight quotes are considered to a Business/Commercial Address or Nearest Terminal to the provided zip/postal code.





DEXTER Brand 6000# Electric Brake Axle Complete

6000# Brake Axle Complete Made in USA

[Read More](#)

SKU: DEX6000KBrakeAxle

Categories: [Axles](#)

Product Description

(1) DEXTER Brand 6000LB 6Lug CAMBERED BRAKE AXLE WITH ACCU-LUBE EASY GREASE SPINDLE COMPLETE with 25.25" DOUBLE EYE Springs ATTACHED with Ubolts.

PLEASE NOTE, A NEW FREIGHT SURCHARGE OF \$100 IS ADDED TO ANYTHING OVER 97" LENGTH

Choose AXLE:

95" HUB FACE / 80" SPRING CENTER

This is a brand new brake axle rated at 6000 lbs.

Does have 12" x 2" brakes, already painted, with springs.

Has a 6X5.5" bolt pattern. Simply bolt on the tires and you're ready to go.

These 6000 LB axle uses a Double Eye Spring setup. Slipper is Optional.

To ensure you receive the correct axles, email or call me.

To measure the Hub Face: measure from one end of the axle where the lug bolts protrude out from to the other end at the same point. This is the Hub Face.

To measure the Spring Center: Measure from the middle of the spring center on one end to the spring center on the other end. There should be a/b 15" difference between the Hub Face and the Spring Center measurement.

All Freight quotes are considered to a Business/Commercial Address or Nearest Terminal to the provided zip/postal code.



912 367 3007



Dexter Brand 7000 LBS 4\" Drop Electric Brake Complete Trailer Axle Assembly

7K 4\" Drop Brake Complete Trailer Axle Assembly Made In USA

[Read More](#)

SKU: D3.5KaxleBRAKE4D-1-1

Categories: [7000# Axles](#), [Axles](#)

Product Description

Dexter Brand 7000 LBS 4\" Drop BRAKE AXLE

IN STOCK SIZES:

96\" Outer Hub Face / 80\" Spring Center Measurement - COMMON ON OUR
POWER TILT TRAILERS

95\" Outer Hub Face / 75\" Spring Center Measurement - COMMON ON OUR
GRAVITY TILT TRAILERS

Auto Adjust Electric Brakes and 1/2\" studs

Please call 912.367.3007 Ext 310 OR 3011 for Freight Quote

PLEASE NOTE, A NEW FREIGHT SURCHARGE OF \$100 IS ADDED TO ANYTHING OVER
97\" Length

Custom Sizes available.

These include the EASY/ACCU-LUBE spindles, so no need to add buddy bearings.

This is a brand new brake axle rated at 7000 lbs. Does have AUTO-ADJUST ELECTRIC brakes, already painted, with 26.5\" Slipper springs. Has a 8x6.5\" bolt pattern, other bolt patterns available! Simply bolt on the tires and you're ready to go.

To ensure you receive the correct axles, email or call me.

**To measure the Hub Face: measure from one end of the axle where the lug bolts protrude out from to the other end at the same point. This is the Hub Face.
To measure the Spring Center: Measure from the middle of the spring center on**

one end to the spring center on the other end. There should be a/b 15" difference between the Hub Face and the Spring Center measurement.

We also have Torsion axles or axles with hydraulic brakes in addition to having many Drop axles in stock.

All Freight quotes are considered to a Business/Commercial Address or Nearest Terminal to the provided zip/postal code.

Freight Residential Delivery is available at an additional cost.



Dexter Brand 7000 LBS Electric Brake Complete Trailer Axle Assembly

7K Brake Complete Trailer Axle Assembly Made In USA

[Read More](#)

SKU: D7KaxleBRAKE-1-1-1

Categories: [7000# Axles](#), [Axles](#)

Product Description

Dexter Brand 7000 LBS BRAKE AXLE

IN STOCK SIZES:

95" Outer Hub Face / 80" Spring Center Measurement

85" Outer Hub Face / 70" Spring Center Measurement

80" Outer Hub Face / 64" Spring Center Measurement

73" Outer Hub Face / 58" Spring Center Measurement

Electric Brakes and 1/2" studs

Please call 912.367.3007 Ext 310 OR 3011 for Freight Quote

PLEASE NOTE, A NEW FREIGHT SURCHARGE OF \$100 IS ADDED TO ANYTHING OVER
97" Length
Custom Sizes available.

These include the EASY/ACCU-LUBE spindles, so no need to add buddy bearings.

This is a brand new brake axle rated at 7000 lbs. Does have ELECTRIC brakes, already painted, with 26.5" Slipper springs. Has a 8x6.5" bolt pattern, other bolt patterns available!
Simply bolt on the tires and you're ready to go.

To ensure you receive the correct axles, email or call me.

To measure the Hub Face: measure from one end of the axle where the lug bolts protrude out from to the other end at the same point. This is the Hub Face.

To measure the Spring Center: Measure from the middle of the spring center on one end to the spring center on the other end. There should be a/b 15" difference between the Hub Face and the Spring Center measurement.

We also have Torsion axles or axles with hydraulic brakes in addition to having many Drop axles in stock.

All Freight quotes are considered to a Business/Commercial Address or Nearest Terminal to the provided zip/postal code.

Freight Residential Delivery is available at an additional cost.



DEXTER Brand 7000# Brake Axle Complete

7000# Brake Axle Complete Made in USA

[Read More](#)

SKU: 7KBrakeAxle

Categories: [Axles](#)

Product Description

(1) DEXTER Brand 7000LB CAMBERED BRAKE AXLE WITH ACCU-LUBE EASY GREASE SPINDLE Completely Assembled w/ Ubolts and 27" Slipper Springs

Choose AXLE SIZE :

95" HUB FACE / 80" SPRING CENTER

85" HUB FACE / 70" SPRING CENTER

PLEASE NOTE, A NEW FREIGHT SURCHARGE OF \$100 IS ADDED TO ANYTHING OVER 97"

This is a brand new brake axle rated at 7000 lbs.

Axle has ELECTRIC brakes and uses a Slipper spring setup, double eye is optional.

Already painted, Galvanization is available.

Has an 8X6.5"bolt pattern for your rims. Simply bolt on the tires and you're ready to go.

To measure the Hub Face: measure from one end of the axle where the lug bolts protrude out from to the other end at the same point. This is the Hub Face.

To measure the Spring Center: Measure from the middle of the spring center on one end to the spring center on the other end. There should be a/b 15" difference between the Hub Face and the Spring Center measurement.

We can build Torsion axles or axles with hydraulic brakes & Drop Axles, pretty much any custom order axle you need.

All Freight quotes are considered to a Business/Commercial Address or Nearest Terminal to the provided zip/postal code.

Call 912 367 3007 EXT 310 for a quote today.

Freight Residential Delivery is available at an additional cost.



Lippert Brand 8000 LBS Hybrid Electric Brake Complete Trailer Axle Assembly

8K Brake Complete Trailer Axle Assembly Made In USA

[Read More](#)

SKU: L8KaxleBRAKE-1-1-1-1

Categories: [8000 # Axles](#), [Axles](#)

Product Description

Lippert Brand 8000 LBS BRAKE AXLE

IN STOCK SIZES:

95" Outer Hub Face / 80" Spring Center Measurement

85" Outer Hub Face / 70" Spring Center Measurement

Electric Brakes and 5/8" studs

Please call 912.367.3007 Ext 310 OR 3011 for Freight Quote

PLEASE NOTE, A NEW FREIGHT SURCHARGE OF \$100 IS ADDED TO ANYTHING OVER
97" Length

Custom Sizes available.

These include the EASY/ACCU-LUBE spindles, so no need to add buddy bearings.

This is a brand new brake axle rated at 8000 lbs. Does have ELECTRIC brakes, already painted, with 26.5" Slipper springs. Has a 8x6.5" bolt pattern, other bolt patterns available!
Simply bolt on the tires and you're ready to go.

To ensure you receive the correct axles, email or call me.

To measure the Hub Face: measure from one end of the axle where the lug bolts protrude out from to the other end at the same point. This is the Hub Face.

To measure the Spring Center: Measure from the middle of the spring center on one end to the spring center on the other end. There should be a/b 15" difference between the Hub Face and the Spring Center measurement.

We also have Torsion axles or axles with hydraulic brakes in addition to having many Drop axles in stock.

All Freight quotes are considered to a Business/Commercial Address or Nearest Terminal to the provided zip/postal code.

Freight Residential Delivery is available at an additional cost.

