



## **DEXTER 10" Brake Shoe & Lining Kit, RH or LH, Fits both sides, 10"x2-1/4"**

K71-047-00 : DEXTER 10" Brake Shoe & Lining Kit, RH or LH,  
Fits both sides, 10"x2-1/4" (DXQ)

[Read More](#)

**SKU:** K71-047-00

**Categories:** [Brake Shoe & Lining Kits](#), [Brakes](#)

### **Product Description**

K71-047-00 Brake Shoe & Lining Kit

Fits Dexter 10 x 2-1/4" electric brake.

Details:

- (1) Primary Shoe & Lining (040-017-00)
- (1) Secondary Shoe & Lining (040-021-00)
- (2) Shoe Hold Down Spring (046-077-00)
- (2) Hold Down Pin \*8\* (049-002-00)
- (1) Instruction Sheet (059-045-00)



# **DEXTER 12" Brake Shoe & Lining Kit, RH or LH, Fits both sides, 12"x2" (DXQ)**

K71-048-00 : DEXTER 12" Brake Shoe & Lining Kit, RH or LH, Fits both sides, 12"x2" (DXQ)

[Read More](#)

**SKU:** K71-127-00

**Categories:** [Brake Shoe & Lining Kits](#), [Brakes](#)

## **Product Description**

K71-127-00 previously K71-048-00 Brake Shoe & Lining Kit  
Fits Dexter 12 x 2" brake (DXQ).

Details:

- (1) Primary Shoe & Lining (040-044-00)
- (1) Secondary Shoe & Lining (040-045-00)
- (2) Shoe Hold Down Spring (046-077-00)
- (2) Hold Down Pin \*2\* (049-011-00)
- (1) Instruction Sheet (059-045-00)



## **DEXTER Electric / Hydraulic Actuator for Disc Brakes 1600 PSI**

DEXTER Electric / Hydraulic Actuator for Disc Brakes 1600 PSI  
FREE SHIPPING!

[Read More](#)

**SKU:** K71-651-00

**Categories:** [Actuators](#), [Brakes](#)

## **Product Description**

DEXTER Electric / Hydraulic Actuator for Disc Brakes 1600 PSI

DEXTER Electro/Hydraulic Drum brake actuator is compatible with all vehicle electric connectors and works with most in-cab controllers.

Electro/Hydraulic brake actuator provides 1,600 psi of pressure for 1-3 axles equipped with disc brakes. Brake fluid pressure is proportional to the electronic brake controller signal. Sealed, anodized aluminum housing provides a weather tight seal.

### **FEATURES INCLUDE:**

- Large reservoir capacity reduces the number of fill-ups required which reduces the bleed time as well as the risk of running the reservoir dry during brake bleeding
- Aluminum enclosure provides anti-corrosive protection and prevents the elements from affecting reliability while the finned housing design dissipates heat efficiently
- The unit's hydraulic pump is unrestricted by fluid displacement requirements of brakes which allows for use on single, tandem, and triple axle applications regardless of capacity without the risk of starving the brakes for fluid
- Solid state electronics eliminate mechanical relays and possible damage to the unit if wired incorrectly in addition to improved durability and compatibility with any electric brake controller
- Proportional pressure output to the brakes corresponds to voltage output of the brake controller for smooth, reliable braking
- Reliable warranty coverage provides each actuator with an industry leading 2 year warranty

#### **PRODUCT SPECIFICATIONS:**

- 1,600 psi maximum pressure output for axles equipped with drum brakes (K71-650-00)
- Dimensions: 11.38" long x 6" wide x 7" high
- Requires a four wire hookup and minimum 10 amp/hour break-away kit
- Uses DOT 3 or 4 brake fluid, holds 40 cubic inches (0.7 quarts) of fluid
- Meets all DOT regulations and complies with CFR-393 federal braking requirements
- Eliminates the feeling of being "pushed" by the trailer (reducing the potential of jackknife)
- Eliminates the problems found when backing a trailer uphill with surge brakes
- Eliminates brake drag common with surge brakes on a downhill grade

**Note: Not Compatible with GMC Integrated Brake Controllers**

**Brand**

Dexter Axle

**Manufacturer Part Number**

K71-651-00



## **DEXTER Electric / Hydraulic Actuator for Drum Brakes 1000 PSI**

DEXTER Electric / Hydraulic Actuator for Drum Brakes 1000  
PSIFREE SHIPPING!

[Read More](#)

**SKU:** K71-650-00

**Categories:** [Actuators](#), [Brakes](#)

### **Product Description**

DEXTER Electric / Hydraulic Actuator for Drum Brakes 1000 PSI

DEXTER Electro/Hydraulic Drum brake actuator is compatible with all vehicle electric connectors and works with most in-cab controllers.

Electro/Hydraulic brake actuator provides 1,000 psi of pressure for 1-3 axles equipped with drum brakes. Brake fluid pressure is proportional to the electronic brake controller signal. Sealed, anodized aluminum housing provides a weather tight seal.

## FEATURES INCLUDE:

- Large reservoir capacity reduces the number of fill-ups required which reduces the bleed time as well as the risk of running the reservoir dry during brake bleeding
- Aluminum enclosure provides anti-corrosive protection and prevents the elements from affecting reliability while the finned housing design dissipates heat efficiently
- The unit's hydraulic pump is unrestricted by fluid displacement requirements of brakes which allows for use on single, tandem, and triple axle applications regardless of capacity without the risk of starving the brakes for fluid
- Solid state electronics eliminate mechanical relays and possible damage to the unit if wired incorrectly in addition to improved durability and compatibility with any electric brake controller
- Proportional pressure output to the brakes corresponds to voltage output of the brake controller for smooth, reliable braking
- Reliable warranty coverage provides each actuator with an industry leading 2 year warranty

## PRODUCT SPECIFICATIONS:

- 1,000 psi maximum pressure output for axles equipped with drum brakes (K71-650-00)
- Dimensions: 11.38" long x 6" wide x 7" high
- Requires a four wire hookup and minimum 10 amp/hour break-away kit
- Uses DOT 3 or 4 brake fluid, holds 40 cubic inches (0.7 quarts) of fluid
- Meets all DOT regulations and complies with CFR-393 federal braking requirements
- Eliminates the feeling of being "pushed" by the trailer (reducing the potential of jackknife)
- Eliminates the problems found when backing a trailer uphill with surge brakes
- Eliminates brake drag common with surge brakes on a downhill grade

**Note: Not Compatible with GMC Integrated Brake Controllers**

### Brand

Dexter Axle

### Manufacturer Part Number

K71-650-00



**Fits Rockwell Left Hand 12-1/4" x  
3-1/2" ; ELECTRIC Brake Assembly 5  
Hole Mount Rockwell American  
Brand 10K General Duty axles**

4738-L : Left Hand 12-1/4" Electric Brake Assembly 5 Hole Mount  
Rockwell American Brand 10K axles

[Read More](#)

SKU: 4738-L-I

Categories: [Brakes](#), [Electric](#)

## Product Description

***Fits Rockwell / Quality Brand 12-1/4" x 3-1/2" electric brake assembly for Left Hand Side (Driver).***

Assembly includes 5 Hole Back Plate, Pads, magnet, springs, complete.

It is designed to be used on an axle for 10,000lbs.

It features the common 5 holes connect.



**Fits Rockwell Left Hand 12-1/4" x 5" ;  
ELECTRIC Brake Assembly 5 Hole  
Mount Rockwell American Brand  
12K - 16K Heavy Duty Axles**

4741-L : Left Hand 12-1/4" Electric Brake Assembly 5 Hole Mount  
Rockwell American Brand 12K - 16K axles

[Read More](#)

SKU: 4741-L

Categories: [Brakes](#), [Electric](#)

## Product Description

***Fits Rockwell / Quality Brand 12-1/4" x 5" electric brake assembly for Left Hand Side (Driver).***

Assembly includes 5 Hole Back Plate, Pads, magnet, springs, complete.

It is designed to be used on an axle for 12,000 lbs - 16,000 lbs.

It features the common 5 holes connect.

---



**Fits Rockwell Right Hand 12-1/4" x 3-1/2"; ELECTRIC Brake Assembly 5 Hole Mount Rockwell American Brand 10K General Duty Axles**

4738-R : Right Hand 12-1/4" x 3-1/2" Electric Brake Assembly 5 Hole Mount Rockwell American Brand 10K axles!

[Read More](#)

**SKU:** 4738-R-I

**Categories:** [Brakes](#), [Electric](#)

**Product Description**

***Fits Rockwell / Quality Brand 12-1/4" x 3-1/2" electric brake assembly for Right Hand Side (Passenger).***

Assembly includes 5 Hole Back Plate, Pads, magnet, springs, complete.

It is designed to be used on an axle for 10,000lbs.

It features the common 5 holes connect.

---



**Fits Rockwell Right Hand 12-1/4" x 5" ; ELECTRIC Brake Assembly 5 Hole Mount Rockwell American Brand 12K - 16K Heavy Duty Axles**

4741-R : Left Hand 12-1/4" Electric Brake Assembly 5 Hole Mount Rockwell American Brand 12K-16K axles

[Read More](#)

**SKU:** 4741-R

**Categories:** [Brakes](#), [Electric](#)

### Product Description

***Fits Rockwell / Quality Brand 12-1/4" x 5" electric brake assembly for Right Hand Side (Passenger).***

Assembly includes 5 Hole Back Plate, Pads, magnet, springs, complete.

It is designed to be used on an axle for 12,000 lbs - 16000 lbs

It features the common 5 holes connect.

---



## **FSA NEV-R-ADJUST Left Hand 12" ELECTRIC Brake Assembly 5 Hole Mount 5,6,7K axles**

23-464: Left Hand 12" Electric Brake FSA NEV-R-ADJUST Assembly 5 Hole Mount Quality Brand 5,6,7K axles

[Read More](#)

**SKU:** IM23-464

**Categories:** [Brakes](#), [Electric](#)

### **Product Description**

**12" x 2" FSA NEV-R-ADJUST Electric Brake Assembly for Left Hand Side (Driver).**

**Fits all 5200 - 7000 Axles using 5 Bolt**

Assembly includes 5 Hole Back Plate, Pads, magnet, springs, complete.

It is designed to be used on an axle from 5200 to 7000 lbs.

It features the common 5 holes backplate. This can be used with 6 or 8 lug hubs.

---



## **FSA NEV-R-ADJUST Right Hand 12" ELECTRIC Brake Assembly 5 Hole Mount 5,6,7K axles**

23-465: Right Hand 12" Electric Brake FSA NEV-R-ADJUST Assembly 5 Hole Mount 5,6,7K axles

[Read More](#)

**SKU:** IM23-465

**Categories:** [Brakes](#), [Electric](#)

### **Product Description**

**12" x 2" FSA NEV-R-ADJUST Electric Brake Assembly for Right Hand Side (Driver).**


**Fits all 5200 - 7000 Axles using 5 Bolt**

Assembly includes 5 Hole Back Plate, Pads, magnet, springs, complete.

It is designed to be used on an axle from 5200 to 7000 lbs.

It features the common 5 holes backplate. This can be used with 6 or 8 lug hubs.

---



## **Kodiak Brand Ceramic Disc Pad Set (4 Total)**

Kodiak Brand Ceramic Disc Pad Set (4 Total)!

[Read More](#)

**SKU:** DBC-338-PAD-K

**Categories:** [Brake Shoe & Lining Kits](#), [Brakes](#)

## **Product Description**

BRAND: KODIAK


Replacement for Part # DBC-338 & DBC-338 HD

Extreme Performance Ceramic Friction Brake Pads have Stainless Clips for 50-100% longer life.

Double Coated Polyurethane on backing plate for maximum corrosion protection. Slotted and camford.

Sold as a set of 4 Pads for 2 wheels.

1 SET IS FOR 1 AXLE



## **Left Hand 10" ELECTRIC Brake Assembly 4 Hole Mount**

Left Hand 10" Electric Brake Assembly 4 Hole Mount

[Read More](#)


SKU: 4701-L

Categories: [Brakes](#), [Electric](#)

## Product Description

**10" x 2 1/4" electric brake assembly For LEFT SIDE (DRIVERS) includes everything, backplate/shoes/pins/springs/magnets for 4 Hole brake flange.**

It is designed to be used on an axle up to 3500 lbs.



## **Left Hand 12" ELECTRIC Brake Assembly 5 Hole Mount Brand 5,6,7K axles**

4704-L : Left Hand 12" Electric Brake Assembly 5 Hole Mount Quality Brand 5,6,7K axles

[Read More](#)

SKU: 4704-L

Categories: [Brakes](#), [Electric](#)

## Product Description

**12" x 2" electric brake assembly for Left Hand Side (Driver).**

Assembly includes 5 Hole Back Plate, Pads, magnet, springs, complete.

It is designed to be used on an axle from 5200 to 7000 lbs.

It features the common 5 holes backplate. This can be used with 6 or 8 lug hubs.

---



## **Left Hand 12" HYDRAULIC Brake Assembly 5 Hole Mount 5,6,7K axles**

4704-L : Left Hand 12" Hydraulic Brake Assembly 5 Hole Mount 5,6,7K axles

[Read More](#)

**SKU:** AT23-342


**Categories:** [Brakes](#), [Hydraulic](#)

### **Product Description**

12" x 2" Left Hand hydraulic complete brake assembly. Features: 7000lb capacity per pair. Mounts with 5 bolts (not included). Single Servo - Single plunger comes from the wheel cylinder (Most Common Style) Uses 12" Hub/Drums.

- Fits standard 7000lb axle with a 5 bolt pattern on the mounting flange.
- Free backing(allows you to back up without having to set a lever or release)
- Left Hand(driver's side)
- Complete assembly ready to bolt on and install
- For use with a 12" inside diameter drum
- The shoes are 2" wide

---



**Left Hand 12-1/4" x 2-1/2";  
ELECTRIC Nev-R-Adjust Brake  
Assembly 4 Hole Mount 7200 / 8000  
axles for Dexter**

23-622 : Left Hand Nev-R-Adjust 12-1/4" X 2-1/2" Electric Brake Assembly 4 Hole Mount Dexter Brand 7200 / 8000 axles

[Read More](#)

**SKU:** 77-1208HB-01 / 23-622

**Categories:** [7200 / 8000N](#), [Brakes](#), [Electric](#)

**Product Description**

**12-1/4" x 2-1/2" electric brake assembly Auto-Adjust for Left Hand Side (Passenger).**

**Fits Dexter 7200/8000 Brake Assembly, part# 23-622**

WILL MATCH DRUM NUMBERED 8-393 STAMPED INTO IT.

Assembly includes 4 Hole Cast Back Plate, Pads, magnet, springs, complete.

It is designed to be used on an axle rated 7200/8000  
Self Adjust Brake Assembly

---



**Left Hand 12-1/4" x 3-1/2";  
ELECTRIC Brake Assembly 4 Hole  
Mount Rockwell American Brand 8K  
axles**

4739-R : Left Hand 12-1/4" x 3-1/2" Electric Brake Assembly 4 Hole Mount Rockwell American Brand 8K axles!

[Read More](#)

**SKU:** 4739-L

**Categories:** [Brakes](#), [Electric](#)

**Product Description**

***12-1/4" x 3-1/2" electric brake assembly for Left Hand Side (Drivers).  
Fits Rockwell American / Quality Brank 8K Axles***

Assembly includes 4 Hole Back Plate, Pads, magnet, springs, complete.

It is designed to be used on an axle for 8,000lbs.

It features the common 4 holes connect.



**Left Hand 12-1/4" x 3-3/8";**

# **ELECTRIC Brake Assembly 7 Hole Mount Dexter Brand 9K / 10K axles**

23-450 : Left Hand 12-1/4" x 3-3/8" Electric Brake Assembly 7 Hole Mount Dexter Brand 9K / 10K axles

[Read More](#)

**SKU:** 23-450

**Categories:** [Brakes](#), [Electric](#)

## **Product Description**

***This is an AUTHENTIC Dexter Brand 12-1/4" x 3-3/8" electric brake assembly for Left Hand Side (Driver).***

Assembly includes 7 HoleCast Back Plate, Pads, magnet, springs, complete.

It is designed to be used on an axle rated 9,000 - 10,000lbs.

Made in USA

---



**Left Hand 12-1/4" x 3-3/8";  
ELECTRIC Brake Assembly 7 Hole  
Mount Fits Dexter / LCI 9K / 10K  
axles**

23-450 : Left Hand 12-1/4" Electric Brake Assembly 7 Hole Mount Dexter Brand 9K / 10K axles

[Read More](#)

**SKU:** IM23-450

**Categories:** [Brakes](#), [Electric](#)

## Product Description

**AXLETEK brand 12-1/4" x 3-3/8" electric brake assembly for Left Hand Side (Driver).**

**Compatible w/ Dexter / Lippert 10K GD axles**  
**Matches 23-450 Dexter Part #**

Assembly includes 5 Hole or 7 Hole (Universal) Cast Back Plate, Pads, magnet, springs, complete.

It is designed to be used on an axle rated 9,000 - 10,000lbs.



## **Left Hand 12-1/4" x 4"; ELECTRIC Brake Assembly 7 Hole Mount Fits Dexter 10K HD axles**

23-438 : Left Hand 12-1/4" Electric Brake Assembly 7 Hole Mount Dexter Brand 10K HD axles

[Read More](#)

**SKU:** IM23-438

**Categories:** [Brakes](#), [Electric](#)

## Product Description

**12-1/4" x 4" electric brake assembly for Left Hand Side (Driver).**

**Fits Dexter / Lippert 10K HD Brake Assembly, part# 23-438**

WILL NOT FIT DRUMS LABELED 9-44 OR 9-123. THOSE NUMBERS ARE LIGHT DUTY 10K  
ONLY FITS DRUM 9-27

Assembly includes 7 Hole Cast Back Plate, Pads, magnet, springs, complete.

It is designed to be used on an axle rated 10,000 Heavy Duty



## **Left Hand 12-1/4" x 5"; ELECTRIC Brake Assembly 7 Hole Mount Fits Dexter 12K / 15K axles**

23-442 / 23-446 : Left Hand 12-1/4" x 5" Electric Brake Assembly  
7 Hole Mount Dexter Brand 12K / 15K axles

[Read More](#)

**SKU:** IM23-442/23-446

**Categories:** [Brakes](#), [Electric](#)

### **Product Description**

***AXLETEK brand 12-1/4" x 5" electric brake assembly for Left Hand Side (Driver).***

***Compatible w/ Dexter / Lippert 12K / 15k axles***

***Matches 23-442 or 23-446 Dexter Part #***

Assembly includes 7 Hole Cast Back Plate, Pads, magnet, springs, complete.

It is designed to be used on an axle rated 12,000 - 15,000lbs.

---



## **LH 12-1/4" x 5" HYDRAULIC Brake Assembly 7 Hole Mount Fits Dexter 12K / 15K axles**

**[23-408 / 23-406](#)** : LH 12-1/4" x 5" Hydraulic Brake Assembly 7 Hole Mount Dexter Brand 12K / 15K axles

[Read More](#)

**SKU:** 23-408 / 23-406

**Categories:** [12K](#), [15K](#), [Brakes](#), [Hydraulic](#)

### **Product Description**

***[MAT brand 12-1/4" x 5" Hydraulic brake assembly for Driver Side \(Left\).](#)***

***Compatible w/ Dexter / Lippert 12K / 15k axles***

***[Matches 23-408 / 23-406 Dexter Part #](#)***

Assembly includes 7 Hole Cast Back Plate, Pads, magnet, springs, complete.

It is designed to be used on an axle rated 12,000 - 15,000lbs.

---



## **MAT Disc Brake Pad, Dexter 10000 12000 10k-12K 4 Pad Kit with Hardware, Services 1 Axle**

For Dexter Brand 10K / 12K Disc Pad Set (4 Total)

[Read More](#)

**SKU:** TW7020MDexKit

**Categories:** [Brakes](#), [Disc](#)

### **Product Description**

BRAND: MAT for Dexter Brand Axles 10K / 12K  
Disc Brake Pad, 10k-12K,4 Pad Kit, Services 1 Axle  
Disc brake pad kit  
Fits 10K and 12K straight axles  
Fits 13G and 13D Torflex axles  
Use with 089-002-02 brake caliper  
Sold as a set of 4 Pads for 2 wheels.

1 SET IS FOR 1 AXLE

---



## **MAT for Dexter Brake Caliper for 10000 12000 10K-12K Axles**

For Dexter Brand 10K / 12K Disc Brake Caliper

[Read More](#)

**SKU:** DBC-089-002-02

**Categories:** [Brakes](#), [Disc](#)

### **Product Description**

BRAND: MAT for Dexter Brand Axles 10K / 12K

Disc Brake Caliper for Dexter 10k-12K Axles

Specifically designed for 10K and 12K straight axles; use with the [K71-180-00 disc brake pad kit](#).

**Note:** Requires 1/4"-28 [bleed port 054-069-00](#) (sold separately)



**PAIR (1LH+1RH) 12-1/4" x 5";  
HYDRAULIC Brake Assembly 7 Hole  
Mount Fits Dexter 12K / 15K axles**

**23-408 / 23-409 or 23-406 / 23-407** : PAIR 12-1/4"  
x 5" Hydraulic Brake Assembly 7 Hole Mount Dexter Brand 12K /  
15K axles

[Read More](#)

**SKU:** 23-408 / 23-409 or 23-406 / 23-407

Categories: [12K](#), [15K](#), [Brakes](#), [Hydraulic](#)

## Product Description

***MAT brand 12-1/4" x 5" Hydraulic brake assembly for Right Hand Side (Driver) & Left Hand Side (Pass).***

***Compatible w/ Dexter / Lippert 12K / 15k axles***

***Matches 23-408 / 23-409 or 23-406 / 23-407 Dexter Part #***

Assembly includes 7 Hole Cast Back Plate, Pads, magnet, springs, complete.

It is designed to be used on an axle rated 12,000 - 15,000lbs.



## **PAIR Rockwell / Quality 12-1/4" x 3-1/2"; ELECTRIC Brake Assembly 5 Hole Mount 10K GD axles**

4738-R / 4738-L : 12-1/4" x 3-1/2" Electric Brake Assembly 5 Hole Mount 10K General Duty axles!

[Read More](#)

SKU: 4738-R+L

Categories: [Brakes](#), [Electric](#)

## Product Description

***PAIR: Fits Rockwell / Quality Brand General Duty 12-1/4" x 3-1/2" electric brake assembly***

Brand: AxleTek

RIGHT AND LEFT HAND UNITS INCLUDED

Assembly includes 5 Hole Back Plate, Pads, magnet, springs, complete.

It is designed to be used on an axle for 10,000lbs General Duty Axles, #99 Spindle

It features the common 5 holes connect.

---



## **QUALITY 10K axle Shoe & Lining Kit LH**

4738-2; QUALITY 10K axle Shoe & Lining Kit LH Free Shippin!!

[Read More](#)

**SKU:** 4738-2

**Categories:** [Brake Shoe & Lining Kits](#), [Brakes](#)

### **Product Description**

BRAND: QUALITY

4738-2 KIT INCLUDES:

- (1) SHOE AND LINING, PRIMARY
- (1) SHOE AND LINING, SECONDARY

WASHER AND NUT

12-1/4" x 3-1/2" Shoes

Exact Shoe & Lining replacement for 10,000# Electric Brake Shoes for Quality Brand Axles For LEFT HAND SIDE

YOU WILL NEED 2 SETS TO DO A COMPLETE AXLE ON BOTH SIDES.

---



## **QUALITY 10K axle Shoe & Lining Kit RH**

4738-3; QUALITY 10K axle Shoe & Lining Kit RH !

[Read More](#)

**SKU:** 4738-3

**Categories:** [Brake Shoe & Lining Kits](#), [Brakes](#)

## Product Description

BRAND: QUALITY

4738-2 KIT INCLUDES:

(1) SHOE AND LINING, PRIMARY

(1) SHOE AND LINING, SECONDARY

WASHER AND NUT

12-1/4" x 3-1/2" Shoes

Exact Shoe & Lining replacement for 10,000# Electric Brake Shoes for Quality Brand Axles For RIGHT HAND SIDE

YOU WILL NEED 2 SETS TO DO A COMPLETE AXLE ON BOTH SIDES.

---



### **RH 12-1/4" x 5" HYDRAULIC Brake Assembly 7 Hole Mount Fits Dexter 12K / 15K axles**

**23-409 / 23-407** : RH 12-1/4" x 5" Hydraulic Brake

Assembly 7 Hole Mount Dexter Brand 12K / 15K axles

[Read More](#)

**SKU:** 23-409 / 23-407

**Categories:** [12K](#), [15K](#), [Brakes](#), [Hydraulic](#)

## Product Description

**MAT brand 12-1/4" x 5" Hydraulic brake assembly for Right Hand Side (Driver)**


**Compatible w/ Dexter / Lippert 12K / 15k axles**

**Matches 23-409 / 23-407 Dexter Part #**

Assembly includes 7 Hole Cast Back Plate, Pads, magnet, springs, complete.

---

It is designed to be used on an axle rated 12,000 - 15,000lbs.



## **Right Hand 10" ELECTRIC Brake Assembly 4 Hole Mount**

Right Hand 10" Electric Brake Assembly 4 Hole Mount

[Read More](#)


**SKU:** 4701-R

**Categories:** [Brakes](#), [Electric](#)

### **Product Description**

***10" x 2 1/4" electric brake assembly For RIGHT SIDE (PASSENGERS) includes everything, backplate/shoes/pins/springs/magnets for 4 Hole brake flange.***

It is designed to be used on an axle up to 3500 lbs.



## **Right Hand 12" ELECTRIC Brake Assembly 5 Hole Mount 5,6,7K axles**

4704-R : Right Hand 12" Electric Brake Assembly 5 Hole Mount  
5,6,7K axles

[Read More](#)

**SKU:** 4704-R

**Categories:** [Brakes](#), [Electric](#)

## Product Description

***12" x 2" electric brake assembly for Right Hand Side (Pass).***

Assembly includes 5 Hole Back Plate, Pads, magnet, springs, complete.

It is designed to be used on an axle from 5200 to 7000 lbs.

It features the common 5 holes backplate. This can be used with 6 or 8 lug hubs.



## **Right Hand 12" HYDRAULIC Brake Assembly 5 Hole Mount 5,6,7K axles**

23-343 : Right Hand 12" Hydraulic Brake Assembly 5 Hole Mount 5,6,7K axles

[Read More](#)

**SKU:** AT23-343

**Categories:** [Brakes](#), [Hydraulic](#)

## Product Description

12" x 2" Right Hand hydraulic complete brake assembly. Features: 7000lb capacity per pair. Mounts with 5 bolts (not included). Single Servo - Single plunger comes from the wheel cylinder (Most Common Style) Uses 12" Hub/Drums.

- Fits standard 7000lb axle with a 5 bolt pattern on the mounting flange.
- Free backing(allows you to back up without having to set a lever or release)
- Left Hand(driver's side)
- Complete assembly ready to bolt on and install
- For use with a 12" inside diameter drum
- The shoes are 2" wide

---



## **Right Hand 12-1/4" x 2-1/2"; ELECTRIC Nev-R-Adjust Brake Assembly 4 Hole Mount 7200 / 8000 axles for Dexter**

23-623 : Right Hand 12-1/4" X 2-1/2" Electric Nev-R-Adjust Brake Assembly 4 Hole Mount Dexter Brand 7200 / 8000 axles

[Read More](#)

**SKU:** 77-1208HB-02 / 23-623

**Categories:** [7200 / 8000N](#), [Brakes](#), [Electric](#)

### **Product Description**

**12-1/4" x 2-1/2" electric brake assembly Auto-Adjust for Right Hand Side (Driver).**

**Fits Dexter 7200/8000 Brake Assembly, part# 23-623**

WILL MATCH DRUM NUMBERED 8-393 STAMPED INTO IT.

Assembly includes 4 Hole Cast Back Plate, Pads, magnet, springs, complete.

It is designed to be used on an axle rated 7200/8000  
Self Adjust Brake Assembly

---