



## **(10) 1/2" Chrome Lug Nut Closed End Acorn Style**

Ensure your fancy wheels look sharp w/ sharp lug nuts that feature a 3-5 year rust inhibitor. !(10) Acorn Lug Nuts

[Read More](#)

**SKU:** 80096

**Categories:** [Accessories](#)

### **Product Description**

1/2" Chrome Acorn Style Closed End Style lug nuts

Fits 1/2" x 20, Standard for Trailers

Feature a 3-5 year rust inhibitor

Fits most trailer hubs



## **(8) 5/8"-18; Swivel Flange Lug Nut**

(8) 5/8"-18; Swivel Flange Lug Nut !

[Read More](#)

**SKU:** 56-8216

**Categories:** [Accessories](#)

### **Product Description**

5/8" Swivel Flange lug nuts

Fits 5/8" x 18, Common for Trailers w/ 8,10,12K capacity

---



## **(SET OF 4) 15" Wheel Trim Ring 5 or 6 Lug**

Fits 15" Trailer Rims, snaps onto rim; wheel trim ring!

[Read More](#)

**SKU:** D2E1503(4)

**Categories:** [15"](#)

### **Product Description**

(4) 15" ABS Chromed Wheel Trim Ring snaps onto trailer rim and fits 5 or 6 Lug 15" trailer rims.

---



## **10" Wheel Cover**

Fits 10" Golf Cart, Lawnmower, ATV Rims, snaps onto rim!!

[Read More](#)

**SKU:** D2EQT10CHB

**Categories:** [10"](#)

### **Product Description**

(1) 10" ABS Chromed Wheel Cover snaps onto Golf Cart, Lawnmower, ATV Rims, snaps onto rim

NOTE: Will only fit the wide trailer rims or deep offset wheels Not DOT approved for High Speed Trailering Use

Phoenix USA model QT10CHB

---



## **10" x 6" Galvanized Rim 4H x 4" Bolt Pattern**

20043 : 10" x 6" Galvanized Rim 4H x 4" Bolt Pattern FREE SHIPPING to 48 Continental US States!!!!

[Read More](#)

SKU: 20043

Categories: [10"](#)

### **Product Description**

- **Rim Specs:**

- 10" x 6" 1 Piece Steel Galvanized
- Bolt Pattern 4 x 4"
- Pilot Diameter 2.84"
- Rim Capacity 1650#
- 0 offset



## **10" x 6" Galvanized Rim 5H x 4.5" Bolt Pattern**

20048 : 10" x 6" Galvanized Rim 5H x 4.5" Bolt Pattern FREE SHIPPING to 48 Continental US States!!!!

[Read More](#)

**SKU:** 20048

**Categories:** [10"](#)

## Product Description

- **Rim Specs:**
    - 10" x 6" 1 Piece Steel Galvanized
    - Bolt Pattern 5 x 4.5"
    - Pilot Diameter 3.19"
    - Rim Capacity 1650#
    - 0 offset
- 



## 10" x 6" Gloss White Rim 4H x 4" Bolt Pattern

20041 : 10" x 6" Gloss White Rim 4H x 4" Bolt Pattern FREE SHIPPING to 48 Continental US States!!!!

[Read More](#)

**SKU:** 20041

**Categories:** [10"](#)

## Product Description

- **Rim Specs:**
    - 10" x 6" 1 Piece Steel Painted Gloss White
    - Clear Coated Rim
    - Bolt Pattern 4 x 4"
    - Pilot Diameter 2.84"
    - Rim Capacity 1650#
    - 0 offset
-



## 10" x 6" Gloss White Rim 5H x 4.5" Bolt Pattern

20046 : 10" x 6" Gloss White Rim 5H x 4.5" Bolt Pattern FREE SHIPPING to 48 Continental US States!!!!

[Read More](#)

SKU: 20046

Categories: [10"](#)

### Product Description

- **Rim Specs:**
  - 10" x 6" 1 Piece Steel Painted Gloss White
  - Clear Coated Rim
  - Bolt Pattern 5 x 4.5"
  - Pilot Diameter 3.19"
  - Rim Capacity 1650#
  - 0 offset



## 12" Wheel Cover

Fits 12"Golf Cart, Lawnmower, ATV Rims, snaps onto rim!!

[Read More](#)

SKU: D2EQT12CHB

Categories: [12"](#)

## Product Description

(1) 12" ABS Chromed Wheel Cover snaps onto Golf Cart, Lawnmower, ATV Rims, snaps onto rim

NOTE: Will only fit the wide trailer rims or deep offset wheels Not DOT Approved for High Speed Trailering Use

Phoenix USA model QT12CHB

---



## 13" BLACK Spoke Radial Assembly

13" BLACK Spoke Radial Assembly

[Read More](#)

SKU: Y810300

Categories: [13"](#)

## Product Description

- **TIRE SPECS**

- •ST175/80R13 C ply
- •B78x13 Alternate Size
- •High Speed Trailer Tire
- •Tubeless type
- •Radial Ply
- •Load Range C, 1360# capacity
- •S.W: 6.6" •O.D: 24.0"
- •Max PSI 50
- •Rim 13x4.5
- •The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- •These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.

- **Rim Specs**

- 13"x4.5" Black Spoke Steel Rim Painted
  - Bolt Pattern 5 x 4.5"
  - Rim Capacity & PSI 1660# / 65PSI
  - 0 offset
  - 3.19" Pilot Diameter
-



## 13" Galvanized Modular Hole Rim, 5 x 4.5" BP

D2E20254 : 13" Galvanized Modular Hole Rim, 5 x 4.5" BP !

[Read More](#)

**SKU:** D2E20254

**Categories:** [13"](#), [13"](#)

### Product Description

- Rim Specs
  - 13"x4.5" Galvanized Modular Hole Steel Rim
  - Bolt Pattern 5 x 4.5"
  - Rim Capacity & PSI 1660# / 65PSI
  - 0 offset
  - 3.19" Pilot Diameter
- 



## 13" Galvanized Spoke Rim, 5 x 4.5" BP

D2E20234 : 13" Galvanized Spoke Rim, 5 x 4.5" BP !

[Read More](#)

**SKU:** D2E20234

**Categories:** [13"](#), [13"](#)

## Product Description

- Rim Specs
  - 13"x4.5" Galvanized Spoke Steel Rim
  - Bolt Pattern 5 x 4.5"
  - Rim Capacity & PSI 1660# / 65PSI
  - 0 offset
  - 3.19" Pilot Diameter
- 



## 13" GALVANIZED SPOKE Wheel BIAS Assemblies

CHOOSE TIRE SIZE AND BOLT PATTERN FROM DROP DOWN LIST

[Read More](#)

**SKU:** 13" GALVANIZED SPOKE Wheel Bias Assemblies

**Categories:** [13"](#)

## Product Description

- **Tire Spec OPTIONS:**
- •ST175/80D13 B ply
- •B78x13 Alternate Size
- •High Speed Trailer Tire
- •Tubeless type
- •Bias Ply
- •Load Range B, 1100# capacity
- •S.W: 6.5" •O.D: 23.9"
- •Max PSI 35
- •Rim 13x4.5
- •The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- •These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.
- 
- •ST175/80D13 C ply
- •B78x13 Alternate Size
- •High Speed Trailer Tire

- •Tubeless type
- •Bias Ply
- •Load Range C, 1360# capacity
- •S.W: 6.6" •O.D: 24.0"
- •Max PSI 50
- •Rim 13x4.5
- •The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- •These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.
- 
- •ST175/80D13 D ply
- •B78x13 Alternate Size
- •High Speed Trailer Tire
- •Tubeless type
- •Bias Ply
- •Load Range D, 1610# capacity
- •S.W: 6.6" •O.D: 24.0"
- •Max PSI 65
- •Rim 13x4.5
- •The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- •These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.
- 
- •ST185/80D13 Cply
- •C78x13 Alternate Size
- •High Speed Trailer Tire
- •Tubeless Type
- •Bias Ply
- •Load Range C, 1480# capacity
- •S.W: 7.2" •O.D: 24.4"
- •Max PSI 50
- •Rim 13x4.5
- •The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- •These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.
- 
- •ST185/80D13 Dply
- •C78x13 Alternate Size
- •High Speed Trailer Tire
- •Tubeless Type
- •Bias Ply
- •Load Range D, 1725# capacity
- •S.W: 7.2" •O.D: 24.4"
- •Max PSI 65
- •Rim 13x4.5
- •The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- •These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.

- **Rim Specs OPTIONS**

- 13"x4.5" Galvanized Spoke Steel Rim
- Bolt Pattern 5 x 4.5"
- Rim Capacity & PSI 1660# / 65PSI
- 0 offset
- 3.19" Pilot Diameter

- Rim Specs
  - 13"x4.5" Galvanized Spoke Steel Rim
  - Bolt Pattern 4 x 4"
  - Rim Capacity & PSI 1660# / 65PSI
  - 0 offset
  - 2.84" Pilot Diameter
- 



## 13" ST175/80D13 BLACK Modular Hole Bias Assembly

13" BLACK Spoke BIAS PLY Assembly

[Read More](#)

**SKU:** Y810300

**Categories:** [13"](#)

### Product Description

- FACTORY 13" WHEEL ASSEMBLY ON CURRENT ANGLE STYLE UTILITY TRAILERS
  - **TIRE SPECS**
    - •ST175/80D13 C ply
    - •B78x13 Alternate Size
    - •High Speed Trailer Tire
    - •Tubeless type
    - •Bias Ply
    - •Load Range C, 1360# capacity
    - •S.W: 6.6" •O.D: 24.0"
    - •Max PSI 50
    - •Rim 13x4.5
  - **Rim Specs**
    - 13"x4.5" Black Modular Hole Steel Rim Painted
    - Bolt Pattern 5 x 4.5"
    - Rim Capacity & PSI 1660# / 65PSI
    - 0 offset
    - 3.19" Pilot Diameter
-



## 13" ST175/80D13 SILVER Modular Hole Bias Assembly

13" SILVER MOD BIAS PLY Assembly

[Read More](#)

SKU: Y810300-1

Categories: [13"](#)

### Product Description

- **TIRE SPECS**

- ST175/80D13 C ply
- B78x13 Alternate Size
- High Speed Trailer Tire
- Tubeless type
- Bias Ply
- Load Range C, 1360# capacity
- S.W: 6.6" •O.D: 24.0"
- Max PSI 50
- Rim 13x4.5

- **Rim Specs**

- 13"x4.5" SILVER Modular Hole Steel Rim Painted
  - Bolt Pattern 5 x 4.5"
  - Rim Capacity & PSI 1660# / 65PSI
  - 0 offset
  - 3.19" Pilot Diameter
-



## 13" ST175/80R13 Silver Mod Radial Assembly

13" Silver Mod Radial Assembly

[Read More](#)

**SKU:** Y810090

**Categories:** [13"](#)

### Product Description

- **TIRE SPECS**

- •ST175/80R13 C ply
- •B78x13 Alternate Size
- •High Speed Trailer Tire
- •Tubeless type
- •Radial Ply
- •Load Range C, 1360# capacity
- •S.W: 6.6" •O.D: 24.0"
- •Max PSI 50
- •Rim 13x4.5
- •The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- •These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.

- **Rim Specs**

- 13"x4.5" Silver Mod Steel Rim Painted
  - Bolt Pattern 5 x 4.5"
  - Rim Capacity & PSI 1660# / 65PSI
  - 0 offset
  - 3.19" Pilot Diameter
-



## 14" Wheel Cover with Open Center

Fits 14" Trailer Rims, snaps onto rim

[Read More](#)

**SKU:** D2EQT544CLO

**Categories:** [14"](#)

### Product Description

(1) 14" ABS Chromed Wheel Cover with Open Center snaps onto trailer rim 14" trailer rims. Deep Dish Style Cover

---



## 14" Wheel Trim Ring

Fits 14" Trailer Rims, snaps onto rim; wheel trim ring

[Read More](#)

**SKU:** D2E1403

**Categories:** [14"](#)

### Product Description

(1) 14" ABS Chromed Wheel Trim Ring snaps onto trailer rim 14" trailer rims.

---



## 14" White Spoke Steel Rim w/ Red/Blue Pinstripe

14" White Spoke Steel Rim w/ Red/Blue Pinstripe

[Read More](#)

**SKU:** D2E20352

**Categories:** [14"](#), [14"](#)

### Product Description

- Rim Specs
  - 14"x6" White Spoke Steel Rim Powder Coated w/ Red/Blue Pinstripe &
  - Bolt Pattern 5 x 4.5"
  - Rim Capacity & PSI 1870# / 50PSI
  - 0 offset
  - 3.19" Pilot Diameter
- 



## 15" Aluminum 5 Star Rim 15x6 5Hx4.5 BP

15" Aluminum 5 Star Rim 15x6 5Hx4.5 BP !

[Read More](#)

**SKU:** D2E20518

**Categories:** [15"](#)

## Product Description

- Rim Specs:
  - 15"x6" 1 Piece Aluminum
  - Clear Coated Rim
  - Bolt Pattern 5 x 4.5"
  - Pilot Diameter 3.19"
  - Rim Capacity 2150#
  - 0 offset
- 



## 15" Aluminum 5 Star Trailer Rim 15x6 6Hx5.5 BP

15" Aluminum 5 Star Trailer Rim 15x6 6Hx5.5 BP !

[Read More](#)

**SKU:** D2E20516

**Categories:** [15"](#), [15"](#)

## Product Description

- Rim Specs:
  - 15"x6" 1 Piece Aluminum
  - Clear Coated Rim
  - Bolt Pattern 6 x 5.5"
  - Pilot Diameter 4.25"
  - Rim Capacity 2830#
  - 0 offset
-



## 15" Aluminum 7 Star Rim 15x6 5Hx4.5 BP

15" Aluminum 7 Star Rim 15x6 5Hx4.5 BP

[Read More](#)

SKU: D2E22653

Categories: [15"](#), [15"](#)

### Product Description

- Rim Specs:
- 15"x6" 1 Piece Aluminum
- Clear Coated Rim
- Bolt Pattern 5 x 4.5"
- Pilot Diameter 3.19"
- Rim Capacity 2150#
- 0 offset



## 15" Aluminum Modular Hole Rim 15x6 5Hx4.5 BP

D2E22627 : 15" Aluminum Modular Hole Rim 15x6 5Hx4.5 BP !

[Read More](#)

**SKU:** D2E22627

**Categories:** [15"](#), [15"](#)

## Product Description

- Rim Specs:
  - 15"x6" 1 Piece Aluminum
  - Clear Coated Rim
  - Bolt Pattern 5 x 4.5"
  - Pilot Diameter 3.19"
  - Rim Capacity 2150#
  - 0 offset
- 



## 15" Aluminum Modular Hole Rim 15x6 6Hx5.5 BP

D2E22646 : 15" Aluminum Modular Hole Rim 15x6 6Hx5.5 BP !

[Read More](#)

**SKU:** D2E22646

**Categories:** [15"](#), [15"](#)

## Product Description

- Rim Specs:
  - 15"x6" 1 Piece Aluminum
  - Clear Coated Rim
  - Bolt Pattern 6 x 5.5"
  - Pilot Diameter 4.25"
  - Rim Capacity 2830#
  - 0 offset
-



## 15" Aluminum Split Rim 15x6 5Hx4.5 BP

15" Aluminum Split Rim 15x6 5Hx4.5 BP!

[Read More](#)

SKU: D2E22647

Categories: [15"](#), [15"](#)

### Product Description

- Rim Specs:
- 15"x6" 1 Piece Aluminum
- Clear Coated Rim
- Bolt Pattern 5 x 4.5"
- Pilot Diameter 3.19"
- Rim Capacity 2540#
- 0 offset



## 15" Aluminum Split Rim 15x6 6Hx5.5 BP

15" Aluminum Split Rim 15x6 6Hx5.5 BP!

[Read More](#)

SKU: D2E22648

Categories: [15"](#), [15"](#)

## Product Description

- Rim Specs:
  - 15"x6" 1 Piece Aluminum
  - Clear Coated Rim
  - Bolt Pattern 6 x 5.5"
  - Pilot Diameter 4.25"
  - Rim Capacity 2830#
  - 0 offset
- 



## 15" Black Spoke Steel Rim 5 Lug x 4.5" BP

D2E20426 : 15" Black Spoke Steel Rim 5 Lug x 4.5" BP !

[Read More](#)

**SKU:** D2E20426

Categories: [15"](#), [15"](#)

## Product Description

- Rim Specs
  - 15"x5" Black Spoke Steel Rim Powder Coated
  - Bolt Pattern 5 x 4.5"
  - Rim Capacity & PSI 1820# / 50PSI
  - 0 offset
  - 3.19" Pilot Diameter
-



## 15" Chrome Modular Hole Rim 5Hx4.5 BP

D2E20555 : 15" Chrome Modular Hole Rim 5Hx4.5 BP !

[Read More](#)

**SKU:** D2E20555

**Categories:** [15"](#), [15"](#)

### Product Description

- Rim Specs
- 15"x6" Chromed Modular Hole Style Rim
- 5H x 4.5" BP
- Rim Capacity 2600#
- 0 offset
- 3.19" Pilot Diameter



## 15" Chrome Modular Hole Rim

## 6Hx5.5 BP

D2E20556 : 15" Chrome Modular Hole Rim 6Hx5.5 BP !

[Read More](#)

**SKU:** D2E20556

**Categories:** [15"](#), [15"](#)

### Product Description

- Rim Specs
  - 15"x6" Chromed Steel Modular Hole Style Rim
  - 6H x 5.5" BP
  - Rim Capacity 2600#
  - 0 offset
  - 4.27" Pilot Diameter
- 



## 15" Galvanized Mod Hole Trailer Rim 15"x6" ; 5 x 4.5" BP

15" Galvanized Mod Hole Trailer Rim 15"x6" ; 5 x 4.5" BP !

[Read More](#)

**SKU:** D2E20544

**Categories:** [15"](#), [15"](#)

### Product Description

- Rim Specs
  - 
  - 15"x6" Galvanized Modular Hole Steel Rim
  - 5Hx4.5" BP
  - Rim Capacity & PSI 2050# / 75PSI
  - 0 offset
  - 3.19" Pilot Diameter
-



## 15" Galvanized Trailer Rim 15"x6" ; 5 x 4.5" BP

15" Galvanized Trailer Rim 15"x6" ; 5 x 4.5" BP !

[Read More](#)

SKU: D2E20524

Categories: [15"](#), [15"](#)

### Product Description

- Rim Specs
- 
- 15"x6" Galvanized Spoke Steel Rim
- 5Hx4.5" BP
- Rim Capacity & PSI 2050# / 75PSI
- 0 offset
- 3.19" Pilot Diameter



## 15" Gloss White Modular Hole Rim w/ Red/Blue Pinstripe, 5 x 4.5" BP

D2E20442 : 15" x 5" Gloss White Modular Hole Rim w/ Red/Blue Pinstripe, 5 x 4.5" BP !

[Read More](#)

SKU: D2E20442

Categories: [15"](#), [15"](#)

## **Product Description**

- Rim Specs
  - 15"x5" Gloss White Modular Hole Steel Rim Powder Coated w/ Red/Blue Pinstripe &
  - Bolt Pattern 5 x 4.5"
  - Rim Capacity & PSI 1820# / 50PSI
  - 0 offset
  - 3.19" Pilot Diameter
-