



205/65-10 Galvanized 4H/C ply Assembly

3H380 : 205/65-10 Galvanized 4H/C ply Assembly FREE SHIPPING to 48 Continental US States!!!!

[Read More](#)

SKU: 3H380

Categories: [10"](#)

Product Description

- ST205/65-10 C ply LoadStar K399
- 20.5/8.0-10 Alternate Size
- High Speed Trailer Tire
- Tubeless type
- Bias 6 Ply
- Load Range C, 1100# capacity
- S.W: 8.3"
- O.D: 20.7"
- Max PSI 50
- Rim 10x6
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.

Rim Specs:

- 10" x 6" Galvanized Finish
 - 0 offset
 - 4H x 4" Bolt Pattern
-



205/65-10 Galvanized 4H/D ply Assembly

3H420 : 205/65-10 Galvanized 4H/D ply Assembly FREE SHIPPING to 48 Continental US States!!!!

[Read More](#)

SKU: 3H420

Categories: [10"](#)

Product Description

- ST205/65-10 D ply LoadStar K399
- 20.5/8.0-10 Alternate Size
- High Speed Trailer Tire
- Tubeless type
- Bias8 Ply
- Load Range D, 1330# capacity
- S.W: 8.3"
- O.D: 20.7"
- Max PSI 70
- Rim 10x6
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.

Rim Specs:

- 10" x 6" Galvanized Finish
 - 0 offset
 - 4H x 4" Bolt Pattern
-



205/65-10 Galvanized 4H/Eply Assembly

3H470 : 205/65-10 Galvanized 4H/Eply Assembly FREE SHIPPING
to 48 Continental US States!!!!

[Read More](#)

SKU: 3H470

Categories: [10"](#)

Product Description

- ST205/65-10 E ply LoadStar K399
- 20.5/8.0-10 Alternate Size
- High Speed Trailer Tire
- Tubeless type
- Bias10 Ply
- Load Range E, 1660# capacity
- S.W: 8.3"
- O.D: 20.7"
- Max PSI 90
- Rim 10x6
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.

Rim Specs:

- 10" x 6" Galvanized Finish
 - 0 offset
 - 4H x 4" Bolt Pattern
-



205/65-10 Galvanized 5H/C ply Assembly

3H400 : 205/65-10 Galvanized 5H/C ply Assembly FREE SHIPPING to 48 Continental US States!!!!

[Read More](#)

SKU: 3H400

Categories: [10"](#)

Product Description

- ST205/65-10 C ply LoadStar K399
- 20.5/8.0-10 Alternate Size
- High Speed Trailer Tire
- Tubeless type
- Bias 6 Ply
- Load Range C, 1100# capacity
- S.W: 8.3"
- O.D: 20.7"
- Max PSI 50
- Rim 10x6
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.

Rim Specs:

- 10" x 6" Galvanized Finish
 - 0 offset
 - 5H x 4.5" Bolt Pattern
-



205/65-10 Galvanized 5H/D ply Assembly

3H440 : 205/65-10 Galvanized 5H/D ply Assembly FREE SHIPPING to 48 Continental US States!!!!

[Read More](#)

SKU: 3H440

Categories: [10"](#)

Product Description

- ST205/65-10 D ply LoadStar K399
- 20.5/8.0-10 Alternate Size
- High Speed Trailer Tire
- Tubeless type
- Bias8 Ply
- Load Range D, 1330# capacity
- S.W: 8.3"
- O.D: 20.7"
- Max PSI 70
- Rim 10x6
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.

Rim Specs:

- 10" x 6" Galvanized Finish
 - 0 offset
 - 5H x 4.5" Bolt Pattern
-



205/65-10 Galvanized 5H/Eply Assembly

3H490 : 205/65-10 Galvanized 5H/Eply Assembly FREE SHIPPING
to 48 Continental US States!!!!

[Read More](#)

SKU: 3H490

Categories: [10"](#)

Product Description

- ST205/65-10 E ply LoadStar K399
- 20.5/8.0-10 Alternate Size
- High Speed Trailer Tire
- Tubeless type
- Bias10 Ply
- Load Range E, 1660# capacity
- S.W: 8.3"
- O.D: 20.7"
- Max PSI 90
- Rim 10x6
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.

Rim Specs:

- 10" x 6" Galvanized Finish
 - 0 offset
 - 5H x 4.5" Bolt Pattern
-



205/65-10 White 4H/Cply Assembly

3H370 : 205/65-10 White 4H/Cply Assembly FREE SHIPPING to 48 Continental US States!!!!

[Read More](#)

SKU: 3H370

Categories: [10"](#)

Product Description

- ST205/65-10 C ply LoadStar K399
- 20.5/8.0-10 Alternate Size
- High Speed Trailer Tire
- Tubeless type
- Bias Ply
- Load Range C, 1105# capacity
- S.W: 8.3"
- O.D: 20.7"
- Max PSI 50
- Rim 10x6
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.

Rim Specs:

- 10" x 6"
 - 0 offset
 - 4H x 4" Bolt Pattern
-



205/65-10 White 4H/Dply Assembly

3H410 : 205/65-10 White 4H/Dply Assembly FREE SHIPPING to 48 Continental US States!!!!

[Read More](#)

SKU: 3H410

Categories: [10"](#)

Product Description

- ST205/65-10 D ply LoadStar K399
- 20.5/8.0-10 Alternate Size
- High Speed Trailer Tire
- Tubeless type
- Bias Ply
- Load Range D, 1330# capacity
- S.W: 8.3"
- O.D: 20.7"
- Max PSI 70
- Rim 10x6
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.

Rim Specs:

- 10" x 6"
 - 0 offset
 - 4H x 4" Bolt Pattern
-



205/65-10 White 4H/Eply Assembly

3H460 : 205/65-10 White 4H/Eply Assembly FREE SHIPPING to 48 Continental US States!!!!

[Read More](#)

SKU: 3H460

Categories: [10"](#)

Product Description

- ST205/65-10 E ply LoadStar K399
- 20.5/8.0-10 Alternate Size
- High Speed Trailer Tire
- Tubeless type
- Bias10 Ply
- Load Range E, 1660# capacity
- S.W: 8.3"
- O.D: 20.7"
- Max PSI 90
- Rim 10x6
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.

Rim Specs:

- 10" x 6"
 - 0 offset
 - 4H x 4" Bolt Pattern
-



205/65-10 White 5H/Cply Assembly

3H390: 205/65-10 White 5H/Cply Assembly FREE SHIPPING to 48 Continental US States!!!!

[Read More](#)

SKU: 3H390

Categories: [10"](#)

Product Description

- ST205/65-10 C ply LoadStar K399
- 20.5/8.0-10 Alternate Size
- High Speed Trailer Tire
- Tubeless type
- Bias Ply
- Load Range C, 1105# capacity
- S.W: 8.3"
- O.D: 20.7"
- Max PSI 50
- Rim 10x6
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.

Rim Specs:

- 10" x 6"
 - 0 offset
 - 5H x 4.5" Bolt Pattern
-



205/65-10 White 5H/Dply Assembly

3H430 : 205/65-10 White 5H/Dply Assembly FREE SHIPPING to 48 Continental US States!!!!

[Read More](#)

SKU: 3H430

Categories: [10"](#)

Product Description

- ST205/65-10 D ply LoadStar K399
- 20.5/8.0-10 Alternate Size
- High Speed Trailer Tire
- Tubeless type
- Bias Ply
- Load Range D, 1330# capacity
- S.W: 8.3"
- O.D: 20.7"
- Max PSI 70
- Rim 10x6
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.

Rim Specs:

- 10" x 6"
 - 0 offset
 - 5H x 4.5" Bolt Pattern
-



205/65-10 White 5H/Eply Assembly

3H480 : 205/65-10 White 5H/Eply Assembly FREE SHIPPING to 48 Continental US States!!!!

[Read More](#)

SKU: 3H480

Categories: [10"](#)

Product Description

- ST205/65-10 E ply LoadStar K399
- 20.5/8.0-10 Alternate Size
- High Speed Trailer Tire
- Tubeless type
- Bias10 Ply
- Load Range E, 1660# capacity
- S.W: 8.3"
- O.D: 20.7"
- Max PSI 90
- Rim 10x6
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.

Rim Specs:

- 10" x 6"
 - 0 offset
 - 5H x 4.5" Bolt Pattern
-