



## **LoadStar 4.80-12 Galvanized Spoked Assembly 4H/Cply**

4.80-12 Galvanized Spoked Assembly 4H/Cply FREE SHIPPING TO 48 CONTINENTAL US STATES!!!!

[Read More](#)

**SKU:** 30630

**Categories:** [12"](#)

### **Product Description**

Tire Specs:

- 4.80-12 LoadStar K353 Cply
- High Speed Trailer Tire
- Tubeless Type
- Bias Ply
- Load Range C, 990# capacity
- S.W: 4.8" •O.D: 20.5"
- Max PSI 90
- Rim 12x4
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.
- Rim Specs
- 12"x4" Galvanized Spoke Steel Rim
- Bolt Pattern 4 x 4"
- Rim Capacity 1045#
- 0 offset
- 2.84" Pilot Diameter



## LoadStar 4.80-12 Galvanized Spoked Assembly 5H/Cply

30670 : LoadStar 4.80-12 Galvanized Spoked Assembly 5H/Cply  
FREE SHIPPING TO 48 CONTINENTAL US STATES!!!!

[Read More](#)

**SKU:** 30670

**Categories:** [12"](#)

### Product Description

Tire Specs:

- 4.80-12 LoadStar K353 Cply
- High Speed Trailer Tire
- Tubeless Type
- Bias Ply
- Load Range C, 990# capacity
- S.W: 4.8" •O.D: 20.5"
- Max PSI 90
- Rim 12x4
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.

  

- Rim Specs
- 12"x4" Galvanized Spoke Steel Rim
- Bolt Pattern 5 x 4.5"
- Rim Capacity 1045#
- 0 offset
- 3.19" Pilot Diameter



## **LoadStar 4.80-12 Gloss White Spoke Assembly 4H/Cply 6ply**

30620 : LoadStar 4.80-12 Gloss White Spoke Assembly 4H/Cply 6ply FREE SHIPPING TO 48 CONTINENTAL US STATES!!!!

[Read More](#)

**SKU:** 30620

**Categories:** [12"](#)

### **Product Description**

Tire Specs:

- 4.80-12 LoadStar K353 Cply
- High Speed Trailer Tire
- Tubeless Type
- Bias Ply
- Load Range C, 990# capacity
- S.W: 4.8" •O.D: 20.5"
- Max PSI 90
- Rim 12x4
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.

  

- Rim Specs
- 12"x4" Gloss White Spoke Steel Rim w/ Blue/Red Pinstripe
- Bolt Pattern 4 x 4"
- Rim Capacity 1045#
- 0 offset
- 2.84" Pilot Diameter



## LoadStar 4.80-12 Gloss White Spoke Assembly 5H/Cply 6ply

30660 : LoadStar 4.80-12 Galvanized Spoked Assembly 5H/Cply 6ply FREE SHIPPING TO 48 CONTINENTAL US STATES!!!!

[Read More](#)

**SKU:** 30660

**Categories:** [12"](#)

### Product Description

Tire Specs:

- 4.80-12 LoadStar K353 Cply
- High Speed Trailer Tire
- Tubeless Type
- Bias Ply
- Load Range C, 990# capacity
- S.W: 4.8" •O.D: 20.5"
- Max PSI 90
- Rim 12x4
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.

  

- Rim Specs
- 12"x4" Gloss White Spoke Steel Rim w/ Blue/Red Pinstripe
- Bolt Pattern 5 x 4.5"
- Rim Capacity 1045#
- 0 offset
- 3.19" Pilot Diameter



## **LoadStar 5.30-12 Gloss White Spoke Wheel Assembly 4H/C ply 6 ply**

30780 : LoadStar 5.30-12 Gloss White Spoke Wheel Assembly  
4H/C ply 6 ply FREE SHIPPING TO 48 CONTINENTAL US  
STATES!!!!

[Read More](#)

**SKU:** 30780

**Categories:** [12"](#)

### **Product Description**

Tire Specs:

- 5.30-12 LoadStar K353 Cply
- High Speed Trailer Tire
- Tubeless Type
- Bias Ply
- Load Range C, 1045# capacity
- S.W: 5.6" •O.D: 21.9"
- Max PSI 70
- Rim 12x4
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.
- Rim Specs
- 12"x4" Gloss White Spoke Steel Rim w/ Red/Blue Pinstripe
- Bolt Pattern 4 x 4"
- Rim Capacity 1045#
- 0 offset
- 2.84" Pilot Diameter



## **LoadStar 5.30-12 Gloss White Spoke Wheel Assembly 5H/C ply 6 ply**

30820 : LoadStar 5.30-12 Gloss White Spoke Wheel Assembly  
5H/C ply 6 ply FREE SHIPPING TO 48 CONTINENTAL US  
STATES!!!!

[Read More](#)

**SKU:** 30820

**Categories:** [12"](#)

### **Product Description**

Tire Specs:

- 5.30-12 LoadStar K353 Cply
- High Speed Trailer Tire
- Tubeless Type
- Bias Ply
- Load Range C, 1045# capacity
- S.W: 5.6" •O.D: 21.9"
- Max PSI 70
- Rim 12x4
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.
- Rim Specs
- 12"x4" Gloss White Spoke Steel Rim w/ Red/Blue Pinstripe
- Bolt Pattern 5 x 4.5"
- Rim Capacity 1045#
- 0 offset
- 3.19" Pilot Diameter