



LoadStar K371 4.80/4.00-8 white wheel Assembly 4H/Bply 4ply

30000 : LoadStar K371 4.80/4.00-8 white wheel Assembly 4H/Bply 4ply

[Read More](#)

SKU: 30000

Categories: [8"](#)

Product Description

Tire Specs:

- 4.80/4.00-8 B ply
- High Speed Trailer Tire
- Tubeless type
- Bias Ply
- Load Range B, 590# capacity
- S.W: 4.6"
- O.D: 16.1"
- Max PSI 60
- Rim 8x3.75
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.
-

Rim Specs:

- - 8"x3.75" 1 Piece Steel Powder Coat Gloss White
 - Clear Coated Rim
 - Bolt Pattern 4 x 4"
 - Pilot Diameter 2.84"
 - Rim Capacity 900#
 - 0 offset
-



LoadStar K371 4.80/4.00-8 white wheel Assembly 4H/Cply 6ply

30040 : LoadStar K371 4.80/4.00-8 white wheel Assembly 4H/Cply 6ply

[Read More](#)

SKU: 30040

Categories: [8"](#)

Product Description

Tire Specs:

- 4.80/4.00-8 C ply 6 ply
- High Speed Trailer Tire
- Tubeless type
- Bias Ply
- Load Range C, 760# capacity
- S.W: 4.7"
- O.D: 16.1"
- Max PSI 90
- Rim 8x3.75
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.

• Rim Specs:

- - 8"x3.75" 1 Piece Steel Painted Gloss White
 - Clear Coated Rim
 - Bolt Pattern 4 x 4"
 - Pilot Diameter 2.81"
 - Rim Capacity 910#
 - 0 offset
-



LoadStar K371 4.80/4.00-8 white wheel Assembly 5H/Bply 4ply

30020 : LoadStar K371 4.80/4.00-8 white wheel Assembly 5H/Bply 4ply

[Read More](#)

SKU: 30020

Categories: [8"](#)

Product Description

Tire Specs:

- 4.80/4.00-8 B ply
- High Speed Trailer Tire
- Tubeless type
- Bias Ply
- Load Range B, 590# capacity
- S.W: 4.6"
- O.D: 16.1"
- Max PSI 60
- Rim 8x3.75
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.
-

• Rim Specs:

•

- 8"x3.75" 1 Piece Steel Painted Gloss White
- Clear Coated Rim
- Bolt Pattern 5 x 4.5"
- Pilot Diameter 2.81"
- Rim Capacity 910#
- 0 offset



LoadStar K371 4.80/4.00-8 White Wheel Assembly 5H/Cply 6ply

LoadStar K371 4.80/4.00-8 white wheel Assembly 5H/Cply 6ply

[Read More](#)

SKU: 30060

Categories: [8"](#)

Product Description

Tire Specs:

- 4.80/4.00-8 C ply 6 ply
- High Speed Trailer Tire
- Tubeless type
- Bias Ply
- Load Range C, 760# capacity
- S.W: 4.7"
- O.D: 16.1"
- Max PSI 90
- Rim 8x3.75
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.

• Rim Specs:

- - 8"x3.75" 1 Piece Steel Painted Gloss White
 - Clear Coated Rim
 - Bolt Pattern 5 x 4.5"
 - Pilot Diameter 2.81"
 - Rim Capacity 910#
 - 0 offset



LoadStar K399 ST215/60-8 Gloss White Wheel Assembly 5H/Cply 6ply

3H310 : LoadStar K399 ST215/60-8 Gloss White Wheel Assembly
5H/Cply 6ply

[Read More](#)

SKU: 3H310

Categories: [8"](#)

Product Description

Tire Specs:

- ST215/60-8 C ply K399 LoadStar Tire
- 18.5/8.50-8 Alternate Size
- High Speed Trailer Tire
- Tubeless type
- Bias Ply
- Load Range C, 935# capacity
- S.W: 8.9"
- O.D: 18.3"
- Max PSI 50
- Rim 8x7
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.

• Rim Specs:

- - 8"x7" 1 Piece Steel Painted Gloss White
 - Clear Coated Rim
 - Bolt Pattern 5 x 4.5"
 - Pilot Diameter 2.81"
 - Rim Capacity 910#
 - 0 offset
-