



KENDA LOADSTAR K550 ST205/75D15 5H on 4.5" C ply MODULAR HOLE ALUMINUM Trailer Wheel Assembly

D2E3S644 : LoadStar K550 Bias ST205/75D15 5H on 4.5" C ply
MODULAR HOLE ALUMINUM Trailer Wheel Assembly

[Read More](#)

SKU: D2E3S644

Categories: [15"](#)

Product Description

- Tire Specs:**

- KENDA LOADSTAR K550 ST205/75D15 C ply (6 ply)
- F78x15 Alternate Size
- • High Speed Trailer Tire
- • Tubeless Type
- Load Range C, 1820# capacity
- Sidewall 7.6"
- O.D. 27.4"
- Max PSI 50
- Nylon Bias Ply Constructed Tire for Durability and Bruise Resistance.
- The LoadStar Trailer tire provides a 2 year warranty with the warranty Phone number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.
- Down To Earth Factory OEM Tire.

- Rim Specs:**

- 15"x6" 1 Piece Aluminum MOD HOLE
- Clear Coated Rim
- Bolt Pattern 5 x 4.5"
- Pilot Diameter 3.19"
- Rim Capacity 2150#

- 0 offset



KENDA LOADSTAR K550 ST205/75D15 5H on 5/C ply White Spoke Trailer Wheel Assembly

LoadStar K550 ST205/75D15 Cply mounted to 15"x5" White Spoke Rim featuring 5 on 5" Bolt Pattern.

[Read More](#)

SKU: D2E3S638

Categories: [15"](#)

Product Description

- KENDA LOADSTAR K550 ST205/75D15 C ply (6 ply)
- F78x15 Alternate Size
- High Speed Trailer Tire
- Tubeless Type
- Load Range C, 1820# capacity
- Sidewall 7.8"
- O.D. 27.4"
- Max PSI 50
- Nylon Bias Ply Constructed Tire for Durability and Bruise Resistance.
- The LoadStar Trailer tire provides a 2 year warranty with the warranty Phone number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.
- Down To Earth Factory OEM Tire.
- Rim Specs
- 15"x5" White Spoke Steel Rim Powder Coated w/ Red/Blue Pinstripe &
- Bolt Pattern 5 x 5"
- Rim Capacity & PSI 1820# / 50PSI
- 0 offset
- 3.19" Pilot Diameter



KENDA LOADSTAR K550 ST205/75D15 BLACK Spoke 5Hx4.5/C Assembly

KENDA LOADSTAR K550 ST205/75D15 BLACK Spoke 5Hx4.5/C
Assembly

[Read More](#)

SKU: D2E3S651

Categories: [15"](#)

Product Description

- Tire Specs
- KENDA LOADSTAR K550 ST205/75D15 C ply (6 ply)
- F78x15 Alternate Size
- •High Speed Trailer Tire
- •Tubeless Type
- Load Range C, 1820# capacity
- Sidewall 7.8"
- O.D. 27.4"
- Max PSI 50
- Nylon Bias Ply Constructed Tire for Durability and Bruise Resistance.
- The LoadStar Trailer tire provides a 2 year warranty with the warranty Phone number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.
- Down To Earth Factory OEM Tire.

- Rim Specs
- 15"x5" BLACK Spoke Steel Rim, Powder Coated
- Bolt Pattern 5 x 4.5"
- Rim Capacity & PSI 1820# / 50PSI
- 0 offset
- 3.19" Pilot Diameter



KENDA LOADSTAR K550 ST205/75D15 Galvanized Trailer Wheel / Tire Assembly 5H x 4.5" Cply

15" Galvanized Trailer Wheel / Tire Assembly 5H x 4.5" Cply

[Read More](#)

SKU: D2E3S650

Categories: [15"](#)

Product Description

- Tire Specs
- KENDA LOADSTAR K550 ST205/75D15 C ply (6 ply)
- F78x15 Alternate Size
- High Speed Trailer Tire
- Tubeless Type
- Load Range C, 1820# capacity
- Sidewall 7.8"
- O.D. 27.4"
- Max PSI 65
- Nylon Bias Ply Constructed Tire for Durability and Bruise Resistance.
- The LoadStar Trailer tire provides a 2 year warranty with the warranty Phone number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.
- Down To Earth Factory OEM Tire.

- Rim Specs
- 15"x6" Galvanized Spoke Steel Rim
- Rim Capacity & PSI 2050# @ 75 PSI
- 0 offset
- 3.19" Pilot Diameter



KENDA LOADSTAR K550 ST205/75D15 Silver Mod 5HOn5" /C Assembly

D2E32253 : Loadstar K550 ST205/75D15 Silver Mod 5HOn5"/C
Assembly

[Read More](#)

SKU: D2E32253

Categories: [15"](#)

Product Description

- Tire Specs
- KENDA LOADSTAR K550 ST205/75D15 C ply (6 ply)
- F78x15 Alternate Size
- High Speed Trailer Tire
- Tubeless Type
- Load Range C, 1820# capacity
- Sidewall 7.8"
- O.D. 27.4"
- Max PSI 50
- Nylon Bias Ply Constructed Tire for Durability and Bruise Resistance.
- The LoadStar Trailer tire provides a 2 year warranty with the warranty Phone number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.
- Down To Earth Factory OEM Tire.

- Rim Specs
- 15"x5" Silver Modular Hole Steel Rim, Powder Coated
- Bolt Pattern 5 x 5"
- Rim Capacity & PSI 1820# / 50PSI
- 0 offset
- 3.19" Pilot Diameter



KENDA LOADSTAR K550 ST205/75D15 Silver Mod 5Hx4.5/C Assembly

D2E3S636 : Loadstar K550 ST205/75D15 Silver Mod 5Hx4.5/C Assembly

[Read More](#)

SKU: D2E3S636

Categories: [15"](#)

Product Description

- Tire Specs
- KENDA LOADSTAR K550 ST205/75D15 C ply (6 ply)
- F78x15 Alternate Size
- High Speed Trailer Tire
- Tubeless Type
- Load Range C, 1820# capacity
- Sidewall 7.8"
- O.D. 27.4"
- Max PSI 50
- Nylon Bias Ply Constructed Tire for Durability and Bruise Resistance.
- The LoadStar Trailer tire provides a 2 year warranty with the warranty Phone number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.
- Down To Earth Factory OEM Tire.

- Rim Specs
- 15"x5" Silver Modular Hole Steel Rim, Powder Coated
- Bolt Pattern 5 x 4.5"
- Rim Capacity & PSI 1820# / 50PSI
- 0 offset
- 3.19" Pilot Diameter



KENDA LOADSTAR K550 ST205/75D15 White Mod 5Hx4.5/C Assembly

D2E3S636 : Loadstar K550 ST205/75D15 White Mod 5Hx4.5/C Assembly

[Read More](#)

SKU: D2E3S645

Categories: [15"](#)

Product Description

- Tire Specs
- KENDA LOADSTAR K550 ST205/75D15 C ply (6 ply)
- F78x15 Alternate Size
- High Speed Trailer Tire
- Tubeless Type
- Load Range C, 1820# capacity
- Sidewall 7.8"
- O.D. 27.4"
- Max PSI 50
- Nylon Bias Ply Constructed Tire for Durability and Bruise Resistance.
- The LoadStar Trailer tire provides a 2 year warranty with the warranty Phone number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.
- Down To Earth Factory OEM Tire.

- Rim Specs
- 15"x5" White Modular Hole Steel Rim, Powder Coated
- Bolt Pattern 5 x 4.5"
- Rim Capacity & PSI 1820# / 50PSI

- 0 offset
- 3.19" Pilot Diameter



KENDA LOADSTAR K550 ST225/75D15 6Hon5.5"/D ply FIVE STAR ALUMINUM Trailer Wheel Assembly

D2E3S913 : LoadStar K550 Bias ST225/75D15 6Hon5.5"/D ply
FIVE STAR ALUMINUM Trailer Wheel Assembly

[Read More](#)

SKU: D2E3S913

Categories: [15"](#)

Product Description

- **TIRE SPECS:**
- KENDA LOADSTAR K550 ST225/75D15 Dply
- H78x15 Alternate Size
- High Speed Trailer Tire
- Tubeless Type
- Bias Ply
- Load Range D, 2540# capacity
- S.W: 8.4"
- O.D: 28.1"
- Max PSI 65
- Rim 15x6
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.

- **RIM SPECS:**

- 15"x6" 1 Piece Aluminum
- Clear Coated Rim
- Bolt Pattern 6 x 5.5"
- Pilot Diameter 4.25"
- Rim Capacity 2830#
- 0 offset



KENDA LOADSTAR K550 ST225/75D15 BLACK Spoke 6Hx5.5/D Assembly

KENDA LOADSTAR K550 ST225/75D15 BLACK Spoke 6Hx5.5/D Assembly !

[Read More](#)

SKU: D2E3S878

Categories: [15"](#)

Product Description

- Tire Specs
- KENDA LOADSTAR K550
- ST225/75D15 Dply
- Nylon Bias Ply Constructed Tire for Durability and Bruise Resistance.
- H78x15 Alternate Size
- High Speed Trailer Tire
- Tubeless Type
- Bias Ply
- Load Range D, 2540# capacity
- S.W: 8.4"
- O.D: 28.1"
- Max PSI 65
- Rim 15x6
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements. Down To Earth Factory OEM Tire.

- Rim Specs
- 15"x6" BLACK Spoke Steel Rim Powder Coated
- Bolt Pattern 6 x 5.5"
- Rim Capacity & PSI 2830# / 80PSI
- 0 offset
- 4.27" Pilot Diameter



KENDA LOADSTAR K550 ST225/75D15 Silver Modular Hole 6Hx5.5/D Assembly

KENDA LOADSTAR K550 ST225/75D15 Silver Modular Hole
6Hx5.5/D Assembly

[Read More](#)

SKU: D2E3S918

Categories: [15"](#)

Product Description

- Tire Specs
- KENDA LOADSTAR K550
- ST225/75D15 Dply
- Nylon Bias Ply Constructed Tire for Durability and Bruise Resistance.
- H78x15 Alternate Size
- High Speed Trailer Tire
- Tubeless Type
- Bias Ply
- Load Range D, 2540# capacity
- S.W: 8.4"
- O.D: 28.1"
- Max PSI 65
- Rim 15x6
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements. Down To Earth Factory OEM Tire.

- Rim Specs
- 15"x6" Silver Modular Hole Steel Rim, Powder Coated
- Bolt Pattern 6 x 5.5"
- Rim Capacity & PSI 2830# / 80PSI
- 0 offset
- 4.27" Pilot Diameter



KENDA LOADSTAR K550 ST225/75D15 White Spoke 5Hx4.5/D Assembly

KENDA LOADSTAR K550 ST225/75D15 White Spoke 5Hx4.5/D
Assembly Free Shipping

[Read More](#)

SKU: D2E3S862

Categories: [15"](#)

Product Description

- Tire Specs
- KENDA LOADSTAR K550
- ST225/75D15 Dply
- Nylon Bias Ply Constructed Tire for Durability and Bruise Resistance.
- H78x15 Alternate Size
- High Speed Trailer Tire
- Tubeless Type
- Bias Ply
- Load Range D, 2540# capacity
- S.W: 8.4"
- O.D: 28.1"
- Max PSI 65
- Rim 15x6
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements. Down To Earth Factory OEM Tire.

- Rim Specs
- 15"x6" White Spoke Steel Rim Powder Coated w/ Red/Blue Pinstripe &
- Bolt Pattern 5 x 4.5"
- Rim Capacity & PSI 2050# / 75 PSI
- 0 offset
- 3.19" Pilot Diameter



KENDA LOADSTAR K550 ST225/75D15 White Spoke 6Hx5.5/D Assembly

KENDA LOADSTAR K550 ST225/75D15 White Spoke 6Hx5.5/D
Assembly

[Read More](#)

SKU: D2E3S870

Categories: [15"](#)

Product Description

- Tire Specs
- KENDA LOADSTAR K550
- ST225/75D15 Dply
- Nylon Bias Ply Constructed Tire for Durability and Bruise Resistance.
- H78x15 Alternate Size
- High Speed Trailer Tire
- Tubeless Type
- Bias Ply
- Load Range D, 2540# capacity
- S.W: 8.4"
- O.D: 28.1"
- Max PSI 65
- Rim 15x6
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements. Down To Earth Factory OEM Tire.

- Rim Specs
- 15"x6" White Spoke Steel Rim Powder Coated w/ Red/Blue Pinstripe &
- Bolt Pattern 6 x 5.5"
- Rim Capacity & PSI 2830# / 80PSI
- 0 offset
- 4.27" Pilot Diameter



KENDA LOADSTAR KARRIER KR03 RADIAL ST205/75R15 TRAILER TIRE

CHOOSE TIRE SIZE AND LOAD RANGE FROM DROP DOWN
LIST

[Read More](#)

SKU: KENDA LOADSTAR KARRIER KR03 RADIAL ST205/75R15
TRAILER TIRE

Categories: [15"](#)

Product Description

- **TIRE SPEC OPTIONS:**

- **KENDA LOADSTAR KARRIER ST205/75R15 C ply (6 ply)**
 - F78x15 Alternate Size
 - •High Speed Trailer Tire
 - •Tubeless Type
 - Load Range C, 1820# capacity
 - Sidewall 8.1"
 - O.D. 27.3"
 - Max PSI 65
 - RIM 15x5.5
 - Steel Belted Constructed Tire for Smooth Ride and Increased Tread Wear.
 - The LoadStar Trailer tire provides a 2 year warranty with the warranty Phone number imprinted on each tire.
 - These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.
 - Down To Earth Factory OEM Tire.
- **KENDA LOADSTAR KARRIER ST205/75R15 D ply (8 ply)**
 - F78x15 Alternate Size
 - •High Speed Trailer Tire
 - •Tubeless Type
 - Load Range D, 2150# capacity
 - Sidewall 8.1"
 - O.D. 27.3"
 - Max PSI 65
 - RIM 15x5.5
 - Steel Belted Constructed Tire for Smooth Ride and Increased Tread Wear.
 - The LoadStar Trailer tire provides a 2 year warranty with the warranty Phone number imprinted on each tire.

- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.
- Down To Earth Factory OEM Tire.



KENDA LOADSTAR KARRIER KR03 RADIAL ST225/75R15 TRAILER TIRE

CHOOSE TIRE SIZE AND LOAD RANGE FROM DROP DOWN
LIST

[Read More](#)

SKU: KENDA LOADSTAR KARRIER KR03 RADIAL ST225/75R15
TRAILER TIRE

Categories: [15"](#)

Product Description

- **TIRE SPEC OPTIONS:**

- **KENDA LOADSTAR KARRIER ST225/75R15 Cply**
 - H78x15 Alternate Size
 - •High Speed Trailer Tire
 - •Tubeless Type
 - Radial Ply
 - Load Range C, 2150# capacity
 - S.W: 8.9"
 - O.D: 28.4"
 - Max PSI 50
 - Rim 15x6
 - The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
 - These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.

- **KENDA LOADSTAR KARRIER ST225/75R15 Dply (8 PLY)**

- H78x15 Alternate Size
- •High Speed Trailer Tire
- •Tubeless Type
- Radial Ply
- Load Range D, 2540# capacity
- S.W: 8.9"
- O.D: 28.4"

- Max PSI 65
- Rim 15x6
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.

• **KENDA LOADSTAR KARRIER ST225/75R15 E ply (10 PLY)**

- H78x15 Alternate Size
- •High Speed Trailer Tire
- •Tubeless Type
- Radial Ply
- Load Range D, 2830# capacity
- S.W: 8.9"
- O.D: 28.4"
- Max PSI 80
- Rim 15x6
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.



Kenda LoadStar ST205/75D14 Load Range C Bias Ply

Kenda LoadStar ST205/75D14 Load Range C Bias Ply

[Read More](#)

SKU: D2E1ST86

Categories: [14"](#)

Product Description

- ST205/75D14 Cply
- F78x14 Alternate Size
- High Speed Trailer Tire
- Tubeless Type
- Bias Ply
- Load Range C, 1760# capacity
- S.W: 7.8"
- O.D: 26.3"

- Max PSI 50
- Rim 14x5.5
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.



LoadStar 4.80-12 Galvanized Spoked Assembly 4H/Cply

4.80-12 Galvanized Spoked Assembly 4H/Cply FREE SHIPPING TO 48 CONTINENTAL US STATES!!!!

[Read More](#)

SKU: 30630

Categories: [12"](#)

Product Description

Tire Specs:

- 4.80-12 LoadStar K353 Cply
- High Speed Trailer Tire
- Tubeless Type
- Bias Ply
- Load Range C, 990# capacity
- S.W: 4.8" •O.D: 20.5"
- Max PSI 90
- Rim 12x4
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.

- Rim Specs
- 12"x4" Galvanized Spoke Steel Rim
- Bolt Pattern 4 x 4"
- Rim Capacity 1045#
- 0 offset
- 2.84" Pilot Diameter



LoadStar 4.80-12 Galvanized Spoked Assembly 5H/Cply

30670 : LoadStar 4.80-12 Galvanized Spoked Assembly 5H/Cply
FREE SHIPPING TO 48 CONTINENTAL US STATES!!!!

[Read More](#)

SKU: 30670

Categories: [12"](#)

Product Description

Tire Specs:

- 4.80-12 LoadStar K353 Cply
- High Speed Trailer Tire
- Tubeless Type
- Bias Ply
- Load Range C, 990# capacity
- S.W: 4.8" •O.D: 20.5"
- Max PSI 90
- Rim 12x4
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.
- Rim Specs
- 12"x4" Galvanized Spoke Steel Rim
- Bolt Pattern 5 x 4.5"
- Rim Capacity 1045#
- 0 offset
- 3.19" Pilot Diameter



LoadStar 4.80-12 Gloss White Spoke Assembly 4H/Cply 6ply

30620 : LoadStar 4.80-12 Gloss White Spoke Assembly 4H/Cply 6ply FREE SHIPPING TO 48 CONTINENTAL US STATES!!!!

[Read More](#)

SKU: 30620

Categories: [12"](#)

Product Description

Tire Specs:

- 4.80-12 LoadStar K353 Cply
- High Speed Trailer Tire
- Tubeless Type
- Bias Ply
- Load Range C, 990# capacity
- S.W: 4.8" •O.D: 20.5"
- Max PSI 90
- Rim 12x4
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.

- Rim Specs
- 12"x4" Gloss White Spoke Steel Rim w/ Blue/Red Pinstripe
- Bolt Pattern 4 x 4"
- Rim Capacity 1045#
- 0 offset
- 2.84" Pilot Diameter



LoadStar 4.80-12 Gloss White Spoke Assembly 5H/Cply 6ply

30660 : LoadStar 4.80-12 Galvanized Spoked Assembly 5H/Cply 6ply FREE SHIPPING TO 48 CONTINENTAL US STATES!!!!

[Read More](#)

SKU: 30660

Categories: [12"](#)

Product Description

Tire Specs:

- 4.80-12 LoadStar K353 Cply
- High Speed Trailer Tire
- Tubeless Type
- Bias Ply
- Load Range C, 990# capacity
- S.W: 4.8" •O.D: 20.5"
- Max PSI 90
- Rim 12x4
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.

- Rim Specs
- 12"x4" Gloss White Spoke Steel Rim w/ Blue/Red Pinstripe
- Bolt Pattern 5 x 4.5"
- Rim Capacity 1045#
- 0 offset
- 3.19" Pilot Diameter



LoadStar 5.30-12 Gloss White Spoke Wheel Assembly 4H/C ply 6 ply

30780 : LoadStar 5.30-12 Gloss White Spoke Wheel Assembly
4H/C ply 6 ply FREE SHIPPING TO 48 CONTINENTAL US
STATES!!!!

[Read More](#)

SKU: 30780

Categories: [12"](#)

Product Description

Tire Specs:

- 5.30-12 LoadStar K353 Cply
- High Speed Trailer Tire
- Tubeless Type
- Bias Ply
- Load Range C, 1045# capacity
- S.W: 5.6" •O.D: 21.9"
- Max PSI 70
- Rim 12x4
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.
- Rim Specs
- 12"x4" Gloss White Spoke Steel Rim w/ Red/Blue Pinstripe
- Bolt Pattern 4 x 4"
- Rim Capacity 1045#
- 0 offset
- 2.84" Pilot Diameter



LoadStar 5.30-12 Gloss White Spoke Wheel Assembly 5H/C ply 6 ply

30820 : LoadStar 5.30-12 Gloss White Spoke Wheel Assembly
5H/C ply 6 ply FREE SHIPPING TO 48 CONTINENTAL US
STATES!!!!

[Read More](#)

SKU: 30820

Categories: [12"](#)

Product Description

Tire Specs:

- 5.30-12 LoadStar K353 Cply
- High Speed Trailer Tire
- Tubeless Type
- Bias Ply
- Load Range C, 1045# capacity
- S.W: 5.6" •O.D: 21.9"
- Max PSI 70
- Rim 12x4
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.
- Rim Specs
- 12"x4" Gloss White Spoke Steel Rim w/ Red/Blue Pinstripe
- Bolt Pattern 5 x 4.5"
- Rim Capacity 1045#
- 0 offset
- 3.19" Pilot Diameter



LoadStar K371 4.80/4.00-8 white wheel Assembly 4H/Bply 4ply

30000 : LoadStar K371 4.80/4.00-8 white wheel Assembly 4H/Bply 4ply

[Read More](#)

SKU: 30000

Categories: [8"](#)

Product Description

Tire Specs:

- 4.80/4.00-8 B ply
- High Speed Trailer Tire
- Tubeless type
- Bias Ply
- Load Range B, 590# capacity
- S.W: 4.6"
- O.D: 16.1"
- Max PSI 60
- Rim 8x3.75
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.
-

- **Rim Specs:**

-

- 8"x3.75" 1 Piece Steel Powder Coat Gloss White
- Clear Coated Rim
- Bolt Pattern 4 x 4"
- Pilot Diameter 2.84"
- Rim Capacity 900#
- 0 offset



LoadStar K371 4.80/4.00-8 white wheel Assembly 4H/Cply 6ply

30040 : LoadStar K371 4.80/4.00-8 white wheel Assembly 4H/Cply 6ply

[Read More](#)

SKU: 30040

Categories: [8"](#)

Product Description

Tire Specs:

- 4.80/4.00-8 C ply 6 ply
- High Speed Trailer Tire
- Tubeless type
- Bias Ply
- Load Range C, 760# capacity
- S.W: 4.7"
- O.D: 16.1"
- Max PSI 90
- Rim 8x3.75
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.

• Rim Specs:

- - 8"x3.75" 1 Piece Steel Painted Gloss White
 - Clear Coated Rim
 - Bolt Pattern 4 x 4"
 - Pilot Diameter 2.81"
 - Rim Capacity 910#
 - 0 offset



LoadStar K371 4.80/4.00-8 white wheel Assembly 5H/Bply 4ply

30020 : LoadStar K371 4.80/4.00-8 white wheel Assembly 5H/Bply 4ply

[Read More](#)

SKU: 30020

Categories: [8"](#)

Product Description

Tire Specs:

- 4.80/4.00-8 B ply
- High Speed Trailer Tire
- Tubeless type
- Bias Ply
- Load Range B, 590# capacity
- S.W: 4.6"
- O.D: 16.1"
- Max PSI 60
- Rim 8x3.75
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.
-

• Rim Specs:

-

- 8"x3.75" 1 Piece Steel Painted Gloss White
- Clear Coated Rim
- Bolt Pattern 5 x 4.5"
- Pilot Diameter 2.81"
- Rim Capacity 910#
- 0 offset



LoadStar K371 4.80/4.00-8 White Wheel Assembly 5H/Cply 6ply

LoadStar K371 4.80/4.00-8 white wheel Assembly 5H/Cply 6ply

[Read More](#)

SKU: 30060

Categories: [8"](#)

Product Description

Tire Specs:

- 4.80/4.00-8 C ply 6 ply
- High Speed Trailer Tire
- Tubeless type
- Bias Ply
- Load Range C, 760# capacity
- S.W: 4.7"
- O.D: 16.1"
- Max PSI 90
- Rim 8x3.75
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.

• Rim Specs:

- - 8"x3.75" 1 Piece Steel Painted Gloss White
 - Clear Coated Rim
 - Bolt Pattern 5 x 4.5"
 - Pilot Diameter 2.81"
 - Rim Capacity 910#
 - 0 offset



LoadStar K399 ST215/60-8 Gloss White Wheel Assembly 5H/Cply 6ply

3H310 : LoadStar K399 ST215/60-8 Gloss White Wheel Assembly
5H/Cply 6ply

[Read More](#)

SKU: 3H310

Categories: [8"](#)

Product Description

Tire Specs:

- ST215/60-8 C ply K399 LoadStar Tire
- 18.5/8.50-8 Alternate Size
- High Speed Trailer Tire
- Tubeless type
- Bias Ply
- Load Range C, 935# capacity
- S.W: 8.9"
- O.D: 18.3"
- Max PSI 50
- Rim 8x7
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.

• Rim Specs:

•

- 8"x7" 1 Piece Steel Painted Gloss White
- Clear Coated Rim
- Bolt Pattern 5 x 4.5"
- Pilot Diameter 2.81"
- Rim Capacity 910#
- 0 offset



LoadStar Karrier H/D ST235/85R16 E ply RADIAL Tire

This Popular Radial offers double steel belts with full nylon plies for heavy-duty applications and increased tire life.

[Read More](#)

SKU: 10500

Categories: [16"](#)

Product Description

- ST235/85R16 Eply
- •High Speed Trailer Tire
- •Tubeless Type
- Radial Ply
- Load Range E, 3640# capacity
- S.W: 9.4"
- O.D: 31.6"
- Max PSI 95
- Rim 16x6.5
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.



LoadStar Karrier H/D ST235/85R16 F

ply RADIAL Tire 3960# capacity

This popular Radial offers double steel belts with full nylon plies for heavy-duty applications and increased tire life.

[Read More](#)

SKU: 10501

Categories: [16"](#)

Product Description

- ST235/85R16 Fply
- High Speed Trailer Tire
- Tubeless Type
- Radial Ply
- Load Range F, 3960# capacity
- S.W: 9.4"
- O.D: 31.6"
- Max PSI 110
- Rim 16x6.5
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.



LoadStar Karrier Radial ST205/75R15 5H/C ply Gloss BLACK Trailer Wheel Assembly

D2E32407 : LoadStar ST205/75R15 5H/C ply Gloss BLACK Radial Trailer Wheel Assembly !

[Read More](#)

SKU: D2E32407

Categories: [15"](#)

Product Description

- Tire Specs
- RADIAL

- KENDA LOADSTAR KARRIER ST205/75R15 C ply (6 ply)
- F78x15 Alternate Size
- •High Speed Trailer Tire
- •Tubeless Type
- Load Range C, 1820# capacity
- Sidewall 8.1"
- O.D. 27.3"
- Max PSI 50
- RIM 15x5.5
- Nylon Bias Ply Constructed Tire for Durability and Bruise Resistance.
- The LoadStar Trailer tire provides a 2 year warranty with the warranty Phone number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.
- Down To Earth Factory OEM Tire.
-
-
-
- **Rim Specs**
- 15"x5"BLACK Spoke Steel Rim, Powder Coated
- Bolt Pattern 5 x 4.5"
- Rim Capacity & PSI 1820# / 50PSI
- 0 offset
- 3.19" Pilot Diameter



LoadStar Karrier Radial ST225/75R15 5H/D ply Gloss WHITE Trailer Wheel Assembly

D2E32545 : LoadStar ST225/75R15 5H/D ply Gloss WHITE Radial
Trailer Wheel Assembly !

[Read More](#)

SKU: D2E32545

Categories: [15"](#)

Product Description

- **Tire Specs**
- **RADIAL**
- **KENDA LOADSTAR KARRIER ST225/75R15 Dply (8 PLY)**
- H78x15 Alternate Size
- •High Speed Trailer Tire
- •Tubeless Type
- Radial Ply
- Load Range D, 2540# capacity
- S.W: 8.9"
- O.D: 28.4"
- Max PSI 65
- Rim 15x6
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.
-
-
-
- Rim Specs
- 15"x6" WHITE Spoke Steel Rim Powder Coated w/ Red/Blue Pinstripe
- Bolt Pattern 5 x 4.5"
- Rim Capacity & PSI 2050# / 75PSI
- 0 offset
- 3.19" Pilot Diameter



**LoadStar Karrier Radial
ST225/75R15 6H/D ply Gloss BLACK
Trailer Wheel Assembly**

D2E32566 : LoadStar ST225/75R15 6H/D ply Gloss BLACK Radial

Trailer Wheel Assembly !

[Read More](#)

SKU: D2E32566

Categories: [15"](#)

Product Description

- **Tire Specs**
- **RADIAL**

- **KENDA LOADSTAR KARRIER ST225/75R15 Dply (8 PLY)**

- H78x15 Alternate Size
- •High Speed Trailer Tire
- •Tubeless Type
- Radial Ply
- Load Range D, 2540# capacity
- S.W: 8.9"
- O.D: 28.4"
- Max PSI 65
- Rim 15x6
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.

-
-
-

- Rim Specs
- 15"x6" Black Spoke Steel Rim Powder Coated
- Bolt Pattern 6 x 5.5"
- Rim Capacity & PSI 2830# / 80PSI
- 0 offset
- 4.27" Pilot Diameter



LoadStar KARRIER ST205/75R14 F78x14 C ply RADIAL Tire

D2E10234 : LoadStar KARRIER ST205/75R14 C ply RADIAL Tire!

[Read More](#)

SKU: D2E10234

Categories: [14"](#)

Product Description

- **KENDA LOADSTAR KARRIER RADIAL ST205/75R14 C ply (6 ply)**
- F78x14 Alternate Size
- High Speed Trailer Tire
- Tubeless Type
- Load Range C, 1760# capacity
- Sidewall 8.1"
- O.D. 26.3"
- Max PSI 50
- Rim 14x5.5
- Radial Ply Constructed Tire for Smooth Ride and Longer Tread Life.
- The LoadStar Trailer tire provides a 2 year warranty with the warranty Phone number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.
- Down To Earth Factory OEM Tire.
