



PREGREASED 3500# Axle Trailer Idler Hub with 5on4.5" Bolt Pattern Complete KIT

PREGREASED 3500# Axle Trailer Idler Hub 5x4.5" BP with Races & Studs, bearings, seal, lug nuts, grease cap, fully greased bearings

[Read More](#)

SKU: D2EPPG84545

Categories: [3500# Trailer Idler Hubs](#)

Product Description

Fits Dexter, Quality, Rockwell American Brands & others with same bearings

Redline Hub W/ 5 on 4.5" Bolt Pattern For 3,500lb Axles

Redline hub kits come with some of your main components like the inner and outer bearings. With Redline kits there is no need to worry about the races as they are already pressed into the hub for you. You will also get the grease seal, grease cap, and wheel nuts for the hub. This hub is designed for use with a #84 spindle.

Each Hub has a 1,750lb capacity. Spindle nut and spindle washer sold separately.

Items in Kit:

- 1 L68149 Inner Bearing (1.378" ID)
- 1 L44649 Outer Bearing (1.063" ID)
- 1 L44610 Outer Race (Already Pressed In) 1.98" OD
- 1 L68111 Inner Race (Already Pressed In) 2.361" OD
- 1 10-19 Grease Seal (1.719" x 2.565")
- 1 46749 Grease Cap (1.986" OD)
- 1 21-41-1 Grease Cap (1.986" OD)
 - 1 85-1 Grease Cap Plug
 - 5 X1023R Coned Wheel Nuts
- 1 5 on 4.5" Pregreased Hub For Convenience
- 1,750lb Capacity Per Hub

NOTE: Please use Bolt Pattern Guide Located in the Wheels Section to ensure you are measuring the bolt pattern accurately



PREGREASED 3500# Axle Trailer Idler Hub with 5on4.75" Bolt Pattern Complete KIT

PREGREASED 3500# Axle Trailer Idler Hub 5x4.75" BP with Races & Studs, bearings, seal, lug nuts, grease cap, fully greased bearings

[Read More](#)

SKU: D2EPPG845475

Categories: [3500# Trailer Idler Hubs](#)

Product Description

Fits Dexter, Quality, Rockwell American Brands & others with same bearings

Includes 3500# Trailer Axle Idler Hub with 5on4.75" BP, Inner and Outer Races / Bearings / Studs / Lug nuts / Grease Cap

Bearings are packed with grease.

Inner Race # L-68111

Outer Race # L-44610

Inner Bearing # L-68149

Outer Bearing # L-44649

Seal # 171255TB

1" Castle Nut

1" Washer

Cotter Pin

Comes with .5"x20 Studs, Outer Race, Inner Race Installed

NOTE: Please use Bolt Pattern Guide Located in the Wheels Section to ensure you are measuring the bolt pattern accurately



PREGREASED 3500# Axle Trailer Idler Hub with 5on5" Bolt Pattern Complete KIT

PREGREASED 3500# Axle Trailer Idler Hub 5x5" BP with Races & Studs, bearings, seal, lug nuts, grease cap, fully greased bearings

[Read More](#)

SKU: D2EPPG84550 (2)

Categories: [3500# Trailer Idler Hubs](#)

Product Description

Fits Dexter, Quality, Rockwell American Brands & others with same bearings

Includes 3500# Trailer Axle Idler Hub with 5on5" BP, Inner and Outer Races / Bearings / Studs / Lug nuts / Grease Cap

Bearings are packed with grease.

Inner Race # L-68111

Outer Race # L-44610

Inner Bearing # L-68149

Outer Bearing # L-44649

Seal # 171255TB

1" Castle Nut

1" Washer

Cotter Pin

Comes with .5"x20 Studs, Outer Race, Inner Race Installed

NOTE: Please use Bolt Pattern Guide Located in the Wheels Section to ensure you are measuring the bolt pattern accurately



PREGREASED 3500# Axle Trailer Idler Hub with 6on5.5" Bolt Pattern Complete KIT

PREGREASED 3500# Axle Trailer Idler Hub 6x5.5" BP with Races & Studs, bearings, seal, lug nuts, grease cap, fully greased bearings

[Read More](#)

SKU: D2EPPG84655

Categories: [3500# Trailer Idler Hubs](#)

Product Description

Fits Dexter, Quality, Rockwell American Brands & others with same bearings

Includes 3500# Trailer Axle Idler Hub with 6on5.5" BP, Inner and Outer Races / Bearings / Studs / Lug nuts / Grease Cap

Bearings are packed with grease.

Inner Race # L-68111

Outer Race # L-44610

Inner Bearing # L-68149

Outer Bearing # L-44649

Seal # 171255TB

1" Castle Nut

1" Washer

Cotter Pin

Comes with .5"x20 Studs, Outer Race, Inner Race Installed

NOTE: Please use Bolt Pattern Guide Located in the Wheels Section to ensure you are measuring the bolt pattern accurately



PREGREASED 5200# Galvanized Axle Trailer Idler Hub with 6on5.5" Bolt Pattern Complete KIT

PREGREASED 3500# Axle Trailer Idler Hub 6x5.5" BP with Races & Studs, bearings, seal, lug nuts, grease cap, fully greased bearings

[Read More](#)

SKU: D2EPPG82655

Categories: [5200 / 6000# Trailer Hubs 6Lug](#)

Product Description

Fits Dexter, Quality, Rockwell American Brands & others with same bearings

Includes 5200# Trailer Axle Galvanized Idler Hub with 6on5.5" BP, Inner and Outer Races / Bearings / Studs / Lug nuts / Grease Cap

Bearings are packed with grease.

Inner Race # L-25520

Outer Race # 15245

Inner Bearing # 25580

Outer Bearing #15123

Seal # 22333TBN

1" Castle Nut

1" Washer

Cotter Pin

Comes with .5"x20 Studs, Outer Race, Inner Race Installed

NOTE: Please use Bolt Pattern Guide Located in the Wheels Section to ensure you are measuring the bolt pattern accurately



PREGREASED GALVANIZED 2000# Axle Trailer Idler Hub with 5on4.5" Bolt Pattern Complete KIT

PREGREASED GALVANIZED 2000# Axle Trailer Idler Hub 5x4.5"
BP with Races & Studs, bearings, seal, lug nuts, grease cap, fully
greased bearings

[Read More](#)

SKU: D2EPPG84545-1-1

Categories: [2000 # Trailer Idler Hubs](#)

Product Description

Fits Dexter, Quality, Rockwell American Brands & others with same bearings

Includes GALVANIZED 2000# Trailer Axle Idler Hub with 5on4.5" BP, Inner and Outer Races / Bearings /
Studs / Lug nuts / Grease Cap

Bearings are packed with grease.

Outer / Inner Race # L-44610

Outer / Inner Bearing # L-44649 1-1/16" ID Bearings

Includes 2 Seals, 1-1/4" ID & 1-1/2" ID

1" Castle Nut

1" Washer

Cotter Pin

Comes with .5"x20 Studs, Outer Race, Inner Race Installed

NOTE: Please use Bolt Pattern Guide Located in the Wheels Section to ensure you are measuring the bolt
pattern accurately



Proven Locks WB-600 Trailer Wheel Lock High Security Fits 14" - 16" wheels

Covers lug nuts to prevent the wheel from being removed and adds drag to tire.

[Read More](#)

SKU: TWL100

Categories: [Locks](#)

Product Description



MADE IN THE USA

We domestically manufacture our lock bodies in the USA

LIFETIME WARRANTY

We know we manufacture a great product and stand behind it!*

[This is the Proven Locks WB-600 Trailer Wheel Security lock.](#)

Made of alloy steel and finished in orange and black powder coating, the model WB-600 is quickly and easily installed, and stops your trailers wheels in their tracks! This lock weighs almost 40 pounds! Our wheel lock is fabricated from heavy gauge alloy steel, unlike those flimsy sheet metal types. Combined with our coupler lock, WB-600 provides you with the ultimate trailer security system.

Manufactured in the USA!

We have designed this lock for the exact tire and rim size. This helps to ensure the lock fits the wheel like a glove. The WB-600 is designed to work with trailer rims and tires (ST). If your trailer is equipped with Light Truck (LT) or Passenger vehicle (P) rated tires, you may have fitment issues.



QUALITY 10K axle Shoe & Lining Kit LH

4738-2; QUALITY 10K axle Shoe & Lining Kit LH Free Shippin!!

[Read More](#)

SKU: 4738-2

Categories: [Brake Shoe & Lining Kits](#), [Brakes](#)

Product Description

BRAND: QUALITY

4738-2 KIT INCLUDES:

(1) SHOE AND LINING, PRIMARY

(1) SHOE AND LINING, SECONDARY

WASHER AND NUT

12-1/4" x 3-1/2" Shoes

Exact Shoe & Lining replacement for 10,000# Electric Brake Shoes for Quality Brand Axles For LEFT HAND SIDE

YOU WILL NEED 2 SETS TO DO A COMPLETE AXLE ON BOTH SIDES.



QUALITY 10K axle Shoe & Lining Kit RH

4738-3; QUALITY 10K axle Shoe & Lining Kit RH !

[Read More](#)

SKU: 4738-3

Categories: [Brake Shoe & Lining Kits](#), [Brakes](#)

Product Description

BRAND: QUALITY

4738-2 KIT INCLUDES:

(1) SHOE AND LINING, PRIMARY

(1) SHOE AND LINING, SECONDARY

WASHER AND NUT

12-1/4" x 3-1/2" Shoes

Exact Shoe & Lining replacement for 10,000# Electric Brake Shoes for Quality Brand Axles For RIGHT HAND SIDE

YOU WILL NEED 2 SETS TO DO A COMPLETE AXLE ON BOTH SIDES.



Radial ST205/75R15 5H/C ply Galvanized Trailer Wheel Assembly

32397 : LoadStar Karrier Radial ST205/75R15 5H/C ply
Galvanized Trailer Wheel Assembly !

[Read More](#)

SKU: D2E32397

Categories: [15"](#)

Product Description

- **Tire Specs**
- **RADIAL** ST205/75R15 C ply (6 ply)
- F78x15 Alternate Size
- High Speed Trailer Tire
- Tubeless Type
- Load Range C, 1820# capacity
- Sidewall 8.1"
- O.D. 27.3"
- Max PSI 50
- RIM 15x5.5
- Steel Belted Constructed Tire for Smooth Ride and Increased Tread Wear.

- - **Rim Specs**
 - 15"x5" Galvanized Spoke Steel Rim
 - Bolt Pattern 5 x 4.5"
 - Rim Capacity & PSI 1820# / 50PSI
 - 0 offset
 - 3.19" Pilot Diameter
-



Radial ST205/75R15 5H/C ply Silver Mod Trailer Wheel Assembly

ST205/75R15 5H/C ply SILVER MOD Radial Trailer Wheel Assembly!

[Read More](#)

SKU: Y305110

Categories: [15"](#)

Product Description

- **Tire Specs**
- **RADIAL**
- ST205/75R15 C ply (6 ply)
- F78x15 Alternate Size
- •High Speed Trailer Tire
- •Tubeless Type
- Load Range C, 1820# capacity

- Sidewall 8.1"
- O.D. 27.3"
- Max PSI 50
- RIM 15x5.5
- Nylon Bias Ply Constructed Tire for Durability and Bruise Resistance.
- The LoadStar Trailer tire provides a 2 year warranty with the warranty Phone number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.
- Down To Earth Factory OEM Tire.
-
-
-
- **Rim Specs**
- 15"x5" Silver Mod Hole Steel Rim Powder Coated
- Bolt Pattern 5 x 4.5"
- Rim Capacity & PSI 1820# / 50PSI
- 0 offset
- 3.19" Pilot Diameter



Radial ST225/75R15 6H/D ply Gloss BLACK MOD Trailer Wheel Assembly

D2E32566 : LoadStar ST225/75R15 6H/D ply Gloss BLACK MOD HOLE Radial Trailer Wheel Assembly !

[Read More](#)

SKU: D2E33043

Categories: [15"](#)

Product Description

- **Tire Specs**
- **RADIAL**
- **KENDA LOADSTAR KARRIER ST225/75R15 Dply (8 PLY)**
- H78x15 Alternate Size
- High Speed Trailer Tire

- Tubeless Type
- Radial Ply
- Load Range D, 2540# capacity
- S.W: 8.9"
- O.D: 28.4"
- Max PSI 65
- Rim 15x6
- The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.

-
-
-

- Rim Specs
- 15"x6" Black Mod Hole Steel Rim Powder Coated
- Bolt Pattern 6 x 5.5"
- Rim Capacity & PSI 2830# / 80PSI
- 0 offset
- 4.27" Pilot Diameter



Radial ST235/80R16 Aluminum Edge 8H/E Wheel Assembly w/ Caps/Nuts

ST235/80R16 EDGE Aluminum 8H/E Assembly

[Read More](#)

SKU: Y816078-1

Categories: [16"](#)

Product Description

Completely Assembled Unit including Stainless Center Cap and (8) Acorn Lug Nuts

Tire: ST235/80R16 Eply mated to a 16"x6" 8 on 6.5" Hole Bolt Pattern EDGE Aluminum Rim, 3520# capacity assembly

Tire Specs:

- Ranier Radial Tire ST235/80R16 Eply 10PLY
- High Speed Trailer Tire
- Tubeless Type
- Radial Ply
- Load Range E, 3520# capacity
- S.W: 9.4"
- O.D: 30.9"
- Max PSI 80
- Rim
16x6

- **Rim Specs**
- 16"x6" Alum
- Bolt Pattern 8 x 6.5"
- Pilot Diameter
- Rim Capacity 4080#
- 0 offset
- 4.90" Pilot Diameter



Radial ST235/80R16 Steel BLACK Modular Hole 8H/E Assembly

ST235/80R16 Steel Black Modular Hole 8H/E Assembly

[Read More](#)

SKU: 34915

Categories: [16"](#)

Product Description

Completely Assembled Unit

Tire: ST235/80R16 Eply mated to a 16"x6" 8 on 6.5" Hole Bolt Pattern BLACK PAINTED Steel Modular Hole Rim, 3500# capacity assembly

Tire Specs:

- Radial Tire ST235/80R16 Eply 10PLY
- High Speed Trailer Tire
- Tubeless Type
- Radial Ply
- Load Range E, 3500# capacity
- S.W: 9.4"
- O.D: 30.9"
- Max PSI 90
- Rim
16x6

- **Rim Specs**
- 16"x6" Black Modular Hole
- Bolt Pattern 8 x 6.5"
- Pilot Diameter
- Rim Capacity & PSI 3750# / 110PSI
- 0 offset
- 4.90" Pilot Diameter



Radial ST235/80R16 Steel BLACK Modular Hole 8H/G Assembly

ST235/80R16 Steel BLACK Modular Hole 8H/G Assembly

[Read More](#)

SKU: D2E9400869-TT-1

Categories: [16"](#)

Product Description

Completely Assembled Unit

Tire: ST235/80R16 Gply mated to a 16"x6" 8 on 6.5" Hole Bolt Pattern BLACK PAINTED Steel Modular Hole Rim, 4080# capacity assembly

Tire Specs:

- Radial Tire ST235/80R16 Gply 14PLY

- High Speed Trailer Tire
- Tubeless Type
- Radial Ply
- Load Range G, 4080# capacity
- S.W: 9.4"
- O.D: 30.9"
- Max PSI 110
- Rim
16x6

- **Rim Specs**
- 16"x6" BLACK Modular Hole
- Bolt Pattern 8 x 6.5"
- Pilot Diameter
- Rim Capacity & PSI 4080# / 110PSI
- 0 offset
- 4.90" Pilot Diameter



Radial ST235/80R16 Steel Silver Modular Hole 8H/E Assembly

ST235/80R16 Steel Silver Modular Hole 8H/E Assembly

[Read More](#)

SKU: Y816078

Categories: [16"](#)

Product Description

Completely Assembled Unit

Tire: ST235/80R16 Eply mated to a 16"x6" 8 on 6.5" Hole Bolt Pattern SILVER PAINTED Steel Modular Hole Rim, 3500# capacity assembly

Tire Specs:

- Ranier Radial Tire ST235/80R16 Eply 10PLY
- High Speed Trailer Tire
- Tubeless Type
- Radial Ply
- Load Range E, 3500# capacity
- S.W: 9.4"
- O.D: 30.9"
- Max PSI 90
- Rim
16x6

- **Rim Specs**
 - 16"x6" Silver Modular Hole
 - Bolt Pattern 8 x 6.5"
 - Pilot Diameter
 - Rim Capacity & PSI 3750# / 110PSI
 - 0 offset
 - 4.90" Pilot Diameter
-



RAM 12K SPRINGLOAD DROPLEG JACK FRONT PULL

RAM 12K SPRINGLOAD DROPLEG JACK OEM

[Read More](#)

SKU: D2E-TJD-12000SP-F

Categories: [Jacks](#)

Product Description

Brand: RAM

Capacity: 10,000lbs LIFT ; 12,000 STATIC

DIRECT WELD

OEM JACK

Front Pull Spring Loaded Foot Release

Side Wind

Lift: 12.5"

Lube Zerk



RAM 2K - 5K TOPWIND AFRAME JACK HANDLE

RAM 2K TOPWIND AFRAME JACK Will fit Bulldog, RAM, Atwood, Pacific Rim, etc....bolt fitment measures 1/2"

[Read More](#)


SKU: D2E-TJA-2000-B HANDLE

Categories: [Jacks](#)

Product Description

Brand: RAM

Handle fits 1/2" where bolt connects



RAM 2K TOPWIND AFRAME JACK

RAM 2K TOPWIND AFRAME JACK

[Read More](#)

SKU: D2E-TJA-2000-B

Categories: [Jacks](#)

Product Description

Brand: RAM

Capacity: 2,000lbs / ea jack

A-FRAME

Bolt on

Top Wind

Lift: 14"



RAM 5K TOPWIND AFRAME JACK

RAM 5K TOPWIND AFRAME JACK

[Read More](#)

SKU: D2E-JAH05-14NP

Categories: [Jacks](#)

Product Description

Brand: RAM

Capacity: 5,000lbs / ea jack

A-FRAME

Bolt on

Top Wind

Lift: 15"



RAM 7K DROPLEG JACK

RAM 7K DROPLEG JACK OEM

[Read More](#)

SKU: D2E-TJD-7000S

Categories: [Jacks](#)

Product Description

Brand: RAM

Capacity: 7,000lbs LIFT ; 8,000 STATIC

DIRECT WELD

OEM JACK

Side Wind

Lift: 15"

Lube Zerk



RAM ELECTRIC 3500 LBS JACK

RAM 3500 LBS ELECTRIC JACK

[Read More](#)

SKU: EJ-3520-BBX

Categories: [Jacks](#)

Product Description

Brand: RAM

Capacity: 3500lbs

AFRAME TYPE

- Easy to operate with just a flip of the switch.
 - Durable exterior grade black powder-coat finish on the outer tube.
 - Zinc finishes the inner tube with the removable sand foot.
 - 18" travel height.
 - Bright LED light for easy night time hookup.
 - Include a drop leg for 7-1/2" of additional adjustment.
 - Durable hardened steel gears for year and years of normal use.
 - Crank handle for manual override in case of power loss.
 - Setup for 12-volt battery use.
-



RAM Gooseneck 2-5/16" Adjustable Square Coupler 25K Capacity

RAM Gooseneck 2-5/16" Adjustable Square Coupler 24K Capacity!!!

[Read More](#)

SKU: D2E-GCSQ25000

Categories: [Couplers](#)

Product Description

Brand: RAM

Capacity: 25,000lbs

Ball: 2-5/16"

Tube OD: 4.5" Square

Overall Height: 32"

Extended Height: 40"

Features 1 piece casting head with cone shaped bottom.



RAM Gooseneck 2-5/16" Adjustable Square Coupler 25K Capacity

RAM Gooseneck 2-5/16" Adjustable Square Coupler 25K Capacity!!!

[Read More](#)

SKU: D2E-GC25000

Categories: [Couplers](#)

Product Description

Brand: RAM

Capacity: 25,000lbs


Ball: 2-5/16"

Tube OD: 4.5" Square

Overall Height: 32"

Extended Height: 40"

Features 1 piece casting head with cone shaped bottom.



Ramp Bar Keeper

Ramp Bar Keeper for Ramp Bars

[Read More](#)

SKU: RampBarKeeper

Categories: [Ramps](#)

Product Description

OEM Factory Equipment Ramp Brace for Down 2 Earth Equipment Trailers.

5/8" Tractor Pin w/ Lynch Pin

Finish: Zinc Plated



Ramp Bar w/ Holes

Ramp Bar Brace for D2E Equipment Trailers

[Read More](#)

SKU: DTE001

Categories: [Ramps](#)

Product Description

OEM Factory Equipment Ramp Brace for Down 2 Earth Equipment Trailers.

Length: 28"

Thickness: 1/4"

Width: 2"

Finish: Raw Unpainted Steel



RANIER Radial ST205/75R15 5H/C ply SILVER MOD Trailer Wheel Assembly

RANIER ST205/75R15 5H/C ply SILV MOD Radial Trailer Wheel
Assembly

[Read More](#)

SKU: D2E9400303M-TT-1

Categories: [15"](#)

Product Description

- **Tire Specs**
- **RADIAL**
- RANIER ST205/75R15 C ply (6 ply)
- F78x15 Alternate Size
- •High Speed Trailer Tire
- •Tubeless Type
- Load Range C, 1820# capacity
- Sidewall 8.1"
- O.D. 27.3"
- Max PSI 50
- RIM 15x5.5
-
- **Rim Specs**
- 15"x5" SILVER MODULAR HOLE Steel Rim, Powder Coated
- Bolt Pattern 5 x 4.5"
- Rim Capacity & PSI 1820# / 50PSI
- 0 offset
- 3.19" Pilot Diameter



RANIER Radial ST205/75R15 5H/C ply SILVER MOD Trailer Wheel Assembly

RANIER ST205/75R15 5H/C ply SILV MOD Radial Trailer Wheel
Assembly

[Read More](#)

SKU: D2E9400303M-TT-1-2

Categories: [15"](#)

Product Description

- **Tire Specs**
 - **RADIAL**
 - RANIER ST205/75R15 C ply (6 ply)
 - F78x15 Alternate Size
 - •High Speed Trailer Tire
 - •Tubeless Type
 - Load Range C, 1820# capacity
 - Sidewall 8.1"
 - O.D. 27.3"
 - Max PSI 50
 - RIM 15x5.5
 -
 - **Rim Specs**
 - 15"x5" SILVER MODULAR HOLE Steel Rim, Powder Coated
 - Bolt Pattern 5 x 4.5"
 - Rim Capacity & PSI 1820# / 50PSI
 - 0 offset
 - 3.19" Pilot Diameter
-



RANIER ST RADIAL ST205/75R15 TRAILER TIRE

[Read More](#)

SKU: RN205X15CTL

Categories: [15"](#)

Product Description

• Features & Benefits

This high quality trailer tire features a 6 year limited warranty with roadside assistance for peace of mind. The Rainier ST was designed with original equipment manufacturers in mind. With a light truck inspired tread pattern, added durability, high load capacity, and can withstand the rigorous demands of ST tires.

- Strong sidewalls to protect against accidental cuts and wear
- Wider center rib for improved wet traction and lower rolling resistance
- Solid main tread blocks on tread to enhance self-cleaning ability
- Varied tread pitch designed to reduce road noise
- Integrated tread blades designed to enhance tires road grip in all weather
- Improved heat dissipation with extended tread life
- 6 year warranty with roadside assistance



Red Plastic Replacement Lens for OEM 2 stud mount Trailer Lights

Red Plastic Replacement Lens for OEM 2 stud mount Trailer Lights

[Read More](#)

SKU: 440-15

Categories: [Lights & Electrical Accessories](#)

Product Description

Replacement Lens for OEM Lights Dimensions: 4.5" x 4.5"

Peterson Part# 440-15



Red Plastic Replacement SIDE 1" Lens for OEM 2 stud mount Trailer Lights

Red Plastic Replacement SIDE 1" Lens for OEM 2 stud mount Trailer Lights

[Read More](#)

SKU: 56-15R

Categories: [Lights & Electrical Accessories](#)

Product Description

Replacement SIDE Lens for OEM Lights Dimensions: 2.75" x 1.25"



RH 12-1/4" x 5" HYDRAULIC Brake Assembly 7 Hole Mount Fits Dexter 12K / 15K axles

23-409 / 23-407 : RH 12-1/4" x 5" Hydraulic Brake Assembly 7 Hole Mount Dexter Brand 12K / 15K axles

[Read More](#)

SKU: 23-409 / 23-407

Categories: [12K](#), [15K](#), [Brakes](#), [Hydraulic](#)

Product Description

MAT brand 12-1/4" x 5" Hydraulic brake assembly for Right Hand Side (Driver)

Compatible w/ Dexter / Lippert 12K / 15k axles

Matches 23-409 / 23-407 Dexter Part #

Assembly includes 7 Hole Cast Back Plate, Pads, magnet, springs, complete.

[It is designed to be used on an axle rated 12,000 - 15,000lbs.](#)
