



13" BLACK Spoke Radial Assembly

13" BLACK Spoke Radial Assembly

[Read More](#)

SKU: Y810300

Categories: [13"](#)

Product Description

- **TIRE SPECS**

- •ST175/80R13 C ply
- •B78x13 Alternate Size
- •High Speed Trailer Tire
- •Tubeless type
- •Radial Ply
- •Load Range C, 1360# capacity
- •S.W: 6.6" •O.D: 24.0"
- •Max PSI 50
- •Rim 13x4.5
- •The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- •These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.

- **Rim Specs**

- 13"x4.5" Black Spoke Steel Rim Painted
 - Bolt Pattern 5 x 4.5"
 - Rim Capacity & PSI 1660# / 65PSI
 - 0 offset
 - 3.19" Pilot Diameter
-



13" Galvanized Modular Hole Rim, 5 x 4.5" BP

D2E20254 : 13" Galvanized Modular Hole Rim, 5 x 4.5" BP !

[Read More](#)

SKU: D2E20254

Categories: [13"](#), [13"](#)

Product Description

- Rim Specs
 - 13"x4.5" Galvanized Modular Hole Steel Rim
 - Bolt Pattern 5 x 4.5"
 - Rim Capacity & PSI 1660# / 65PSI
 - 0 offset
 - 3.19" Pilot Diameter
-



13" Galvanized Spoke Rim, 5 x 4.5" BP

D2E20234 : 13" Galvanized Spoke Rim, 5 x 4.5" BP !

[Read More](#)

SKU: D2E20234

Categories: [13"](#), [13"](#)

Product Description

- Rim Specs
 - 13"x4.5" Galvanized Spoke Steel Rim
 - Bolt Pattern 5 x 4.5"
 - Rim Capacity & PSI 1660# / 65PSI
 - 0 offset
 - 3.19" Pilot Diameter
-



13" GALVANIZED SPOKE Wheel BIAS Assemblies

CHOOSE TIRE SIZE AND BOLT PATTERN FROM DROP DOWN LIST

[Read More](#)

SKU: 13" GALVANIZED SPOKE Wheel Bias Assemblies

Categories: [13"](#)

Product Description

- **Tire Spec OPTIONS:**
- •ST175/80D13 B ply
- •B78x13 Alternate Size
- •High Speed Trailer Tire
- •Tubeless type
- •Bias Ply
- •Load Range B, 1100# capacity
- •S.W: 6.5" •O.D: 23.9"
- •Max PSI 35
- •Rim 13x4.5
- •The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- •These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.
-
- •ST175/80D13 C ply
- •B78x13 Alternate Size
- •High Speed Trailer Tire

- •Tubeless type
- •Bias Ply
- •Load Range C, 1360# capacity
- •S.W: 6.6" •O.D: 24.0"
- •Max PSI 50
- •Rim 13x4.5
- •The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- •These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.
-
- •ST175/80D13 D ply
- •B78x13 Alternate Size
- •High Speed Trailer Tire
- •Tubeless type
- •Bias Ply
- •Load Range D, 1610# capacity
- •S.W: 6.6" •O.D: 24.0"
- •Max PSI 65
- •Rim 13x4.5
- •The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- •These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.
-
- •ST185/80D13 Cply
- •C78x13 Alternate Size
- •High Speed Trailer Tire
- •Tubeless Type
- •Bias Ply
- •Load Range C, 1480# capacity
- •S.W: 7.2" •O.D: 24.4"
- •Max PSI 50
- •Rim 13x4.5
- •The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- •These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.
-
- •ST185/80D13 Dply
- •C78x13 Alternate Size
- •High Speed Trailer Tire
- •Tubeless Type
- •Bias Ply
- •Load Range D, 1725# capacity
- •S.W: 7.2" •O.D: 24.4"
- •Max PSI 65
- •Rim 13x4.5
- •The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- •These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.

- **Rim Specs OPTIONS**

- 13"x4.5" Galvanized Spoke Steel Rim
- Bolt Pattern 5 x 4.5"
- Rim Capacity & PSI 1660# / 65PSI
- 0 offset
- 3.19" Pilot Diameter

- Rim Specs
 - 13"x4.5" Galvanized Spoke Steel Rim
 - Bolt Pattern 4 x 4"
 - Rim Capacity & PSI 1660# / 65PSI
 - 0 offset
 - 2.84" Pilot Diameter
-



13" ST175/80D13 BLACK Modular Hole Bias Assembly

13" BLACK Spoke BIAS PLY Assembly

[Read More](#)

SKU: Y810300

Categories: [13"](#)

Product Description

- FACTORY 13" WHEEL ASSEMBLY ON CURRENT ANGLE STYLE UTILITY TRAILERS
 - **TIRE SPECS**
 - ST175/80D13 C ply
 - B78x13 Alternate Size
 - High Speed Trailer Tire
 - Tubeless type
 - Bias Ply
 - Load Range C, 1360# capacity
 - S.W: 6.6" •O.D: 24.0"
 - Max PSI 50
 - Rim 13x4.5
 - **Rim Specs**
 - 13"x4.5" Black Modular Hole Steel Rim Painted
 - Bolt Pattern 5 x 4.5"
 - Rim Capacity & PSI 1660# / 65PSI
 - 0 offset
 - 3.19" Pilot Diameter
-



13" ST175/80D13 SILVER Modular Hole Bias Assembly

13" SILVER MOD BIAS PLY Assembly

[Read More](#)

SKU: Y810300-1

Categories: [13"](#)

Product Description

- **TIRE SPECS**

- ST175/80D13 C ply
- B78x13 Alternate Size
- High Speed Trailer Tire
- Tubeless type
- Bias Ply
- Load Range C, 1360# capacity
- S.W: 6.6" •O.D: 24.0"
- Max PSI 50
- Rim 13x4.5

- **Rim Specs**

- 13"x4.5" SILVER Modular Hole Steel Rim Painted
 - Bolt Pattern 5 x 4.5"
 - Rim Capacity & PSI 1660# / 65PSI
 - 0 offset
 - 3.19" Pilot Diameter
-



13" ST175/80R13 Silver Mod Radial Assembly

13" Silver Mod Radial Assembly

[Read More](#)

SKU: Y810090

Categories: [13"](#)


Product Description

- **TIRE SPECS**

- •ST175/80R13 C ply
- •B78x13 Alternate Size
- •High Speed Trailer Tire
- •Tubeless type
- •Radial Ply
- •Load Range C, 1360# capacity
- •S.W: 6.6" •O.D: 24.0"
- •Max PSI 50
- •Rim 13x4.5
- •The LoadStar Trailer tire provides a 2 year warranty with the warranty number imprinted on each tire.
- •These tires provide: Longer Wear, Better Towing Stability, Reduced Rolling Resistance and meets all US Dept of Transportation requirements.

- **Rim Specs**

- 13"x4.5" Silver Mod Steel Rim Painted
 - Bolt Pattern 5 x 4.5"
 - Rim Capacity & PSI 1660# / 65PSI
 - 0 offset
 - 3.19" Pilot Diameter
-



14" Bolt Pattern Measure Method

HOW TO MEASURE YOUR BOLT PATTERN; CLICK ON THE IMAGE FOR A LARGER PIC!!!!

[Read More](#)

SKU: 14" Bolt Pattern Measure Method - SKU

Categories: [14"](#), [Bolt Pattern Measure Method](#)

Product Description



14" Wheel Cover with Open Center

Fits 14" Trailer Rims, snaps onto rim

[Read More](#)

SKU: D2EQT544CLO

Categories: [14"](#)

Product Description

(1) 14" ABS Chromed Wheel Cover with Open Center snaps onto trailer rim 14" trailer rims. Deep Dish Style Cover



14" Wheel Trim Ring

Fits 14" Trailer Rims, snaps onto rim; wheel trim ring

[Read More](#)

SKU: D2E1403

Categories: [14"](#)

Product Description

(1) 14" ABS Chromed Wheel Trim Ring snaps onto trailer rim 14" trailer rims.



14" White Spoke Steel Rim w/ Red/Blue Pinstripe

14" White Spoke Steel Rim w/ Red/Blue Pinstripe

[Read More](#)

SKU: D2E20352

Categories: [14"](#), [14"](#)

Product Description

- Rim Specs
 - 14"x6" White Spoke Steel Rim Powder Coated w/ Red/Blue Pinstripe &
 - Bolt Pattern 5 x 4.5"
 - Rim Capacity & PSI 1870# / 50PSI
 - 0 offset
 - 3.19" Pilot Diameter
-



15" Aluminum 5 Star Rim 15x6 5Hx4.5 BP

15" Aluminum 5 Star Rim 15x6 5Hx4.5 BP !

[Read More](#)

SKU: D2E20518

Categories: [15"](#)

Product Description

- Rim Specs:

- 15"x6" 1 Piece Aluminum
- Clear Coated Rim
- Bolt Pattern 5 x 4.5"
- Pilot Diameter 3.19"
- Rim Capacity 2150#
- 0 offset



15" Aluminum 5 Star Trailer Rim 15x6 6Hx5.5 BP

15" Aluminum 5 Star Trailer Rim 15x6 6Hx5.5 BP !

[Read More](#)

SKU: D2E20516

Categories: [15"](#), [15"](#)

Product Description

- Rim Specs:
 - 15"x6" 1 Piece Aluminum
 - Clear Coated Rim
 - Bolt Pattern 6 x 5.5"
 - Pilot Diameter 4.25"
 - Rim Capacity 2830#
 - 0 offset
-



15" Aluminum 7 Star Rim 15x6 5Hx4.5 BP

15" Aluminum 7 Star Rim 15x6 5Hx4.5 BP

[Read More](#)

SKU: D2E22653

Categories: [15"](#), [15"](#)

Product Description

- Rim Specs:
 - 15"x6" 1 Piece Aluminum
 - Clear Coated Rim
 - Bolt Pattern 5 x 4.5"
 - Pilot Diameter 3.19"
 - Rim Capacity 2150#
 - 0 offset
-



15" Aluminum Modular Hole Rim 15x6 5Hx4.5 BP

D2E22627 : 15" Aluminum Modular Hole Rim 15x6 5Hx4.5 BP !

[Read More](#)

SKU: D2E22627

Categories: [15"](#), [15"](#)

Product Description

- Rim Specs:
- 15"x6" 1 Piece Aluminum
- Clear Coated Rim
- Bolt Pattern 5 x 4.5"
- Pilot Diameter 3.19"
- Rim Capacity 2150#
- 0 offset



15" Aluminum Modular Hole Rim 15x6 6Hx5.5 BP

D2E22646 : 15" Aluminum Modular Hole Rim 15x6 6Hx5.5 BP !

[Read More](#)

SKU: D2E22646

Categories: [15"](#), [15"](#)

Product Description

- Rim Specs:
 - 15"x6" 1 Piece Aluminum
 - Clear Coated Rim
 - Bolt Pattern 6 x 5.5"
 - Pilot Diameter 4.25"
 - Rim Capacity 2830#
 - 0 offset
-



15" Aluminum Split Rim 15x6 5Hx4.5 BP

15" Aluminum Split Rim 15x6 5Hx4.5 BP!

[Read More](#)

SKU: D2E22647

Categories: [15"](#), [15"](#)

Product Description

- Rim Specs:
 - 15"x6" 1 Piece Aluminum
 - Clear Coated Rim
 - Bolt Pattern 5 x 4.5"
 - Pilot Diameter 3.19"
 - Rim Capacity 2540#
 - 0 offset
-



15" Aluminum Split Rim 15x6 6Hx5.5 BP

15" Aluminum Split Rim 15x6 6Hx5.5 BP!

[Read More](#)

SKU: D2E22648

Categories: [15"](#), [15"](#)

Product Description

- Rim Specs:
- 15"x6" 1 Piece Aluminum
- Clear Coated Rim
- Bolt Pattern 6 x 5.5"
- Pilot Diameter 4.25"
- Rim Capacity 2830#
- 0 offset



15" Black Spoke Steel Rim 5 Lug x 4.5" BP

D2E20426 : 15" Black Spoke Steel Rim 5 Lug x 4.5" BP !

[Read More](#)

SKU: D2E20426

Categories: [15"](#), [15"](#)

Product Description

- Rim Specs
 - 15"x5" Black Spoke Steel Rim Powder Coated
 - Bolt Pattern 5 x 4.5"
 - Rim Capacity & PSI 1820# / 50PSI
 - 0 offset
 - 3.19" Pilot Diameter
-



15" Chrome Modular Hole Rim 5Hx4.5 BP

D2E20555 : 15" Chrome Modular Hole Rim 5Hx4.5 BP !

[Read More](#)

SKU: D2E20555

Categories: [15"](#), [15"](#)

Product Description

- Rim Specs
 - 15"x6" Chromed Modular Hole Style Rim
 - 5H x 4.5" BP
 - Rim Capacity 2600#
 - 0 offset
 - 3.19" Pilot Diameter
-



15" Chrome Modular Hole Rim 6Hx5.5 BP

D2E20556 : 15" Chrome Modular Hole Rim 6Hx5.5 BP !

[Read More](#)

SKU: D2E20556

Categories: [15"](#), [15"](#)

Product Description

- Rim Specs
- 15"x6" Chromed Steel Modular Hole Style Rim
- 6H x 5.5" BP
- Rim Capacity 2600#
- 0 offset
- 4.27" Pilot Diameter



15" Galvanized Mod Hole Trailer Rim 15"x6" ; 5 x 4.5" BP

15" Galvanized Mod Hole Trailer Rim 15"x6" ; 5 x 4.5" BP !

[Read More](#)

SKU: D2E20544

Categories: [15"](#), [15"](#)

Product Description

- Rim Specs
 -
 - 15"x6" Galvanized Modular Hole Steel Rim
 - 5Hx4.5" BP
 - Rim Capacity & PSI 2050# / 75PSI
 - 0 offset
 - 3.19" Pilot Diameter
-



15" Galvanized Trailer Rim 15"x6" ; 5 x 4.5" BP

15" Galvanized Trailer Rim 15"x6" ; 5 x 4.5" BP !

[Read More](#)

SKU: D2E20524

Categories: [15"](#), [15"](#)

Product Description

- Rim Specs
 -
 - 15"x6" Galvanized Spoke Steel Rim
 - 5Hx4.5" BP
 - Rim Capacity & PSI 2050# / 75PSI
 - 0 offset
 - 3.19" Pilot Diameter
-



15" Gloss White Modular Hole Rim w/ Red/Blue Pinstripe, 5 x 4.5" BP

D2E20442 : 15" x 5" Gloss White Modular Hole Rim w/ Red/Blue Pinstripe, 5 x 4.5" BP !

[Read More](#)

SKU: D2E20442

Categories: [15"](#), [15"](#)

Product Description

- Rim Specs
- 15"x5" Gloss White Modular Hole Steel Rim Powder Coated w/ Red/Blue Pinstripe &
- Bolt Pattern 5 x 4.5"
- Rim Capacity & PSI 1820# / 50PSI
- 0 offset
- 3.19" Pilot Diameter



15" STAINLESS STEEL Wheel Cover 5 or 6 Lug; SET OF 4

Fits 15" Trailer Rims, snaps onto rim, STAINLESS STEEL COVER!

[Read More](#)

SKU: D2EGQST50

Categories: [15"](#)

Product Description

(SET OF 4) 15" STAINLESS STEEL Wheel Cover snaps onto trailer rim and fits 5 or 6 Lug 15" trailer rims.



15" STAINLESS STEEL Wheel Cover 5 or 6 Lug; SET OF 4

Fits 15" Trailer Rims, Bolts onto rim, STAINLESS STEEL COVER!

[Read More](#)

SKU: D2ENST15

Categories: [15"](#)

Product Description

(SET OF 4) 15" STAINLESS STEEL Wheel Cover bolts onto trailer rim and fits 5 or 6 Lug 15" trailer rims.



15" Wheel Cover 5 Lug with Open Center

Fits 15" Trailer Rims, snaps onto rim!

[Read More](#)

SKU: D2EQT545CLO

Categories: [15"](#)

Product Description

(1) 15" ABS Chromed Wheel Cover with Open Center snaps onto trailer rim and fits 5 Lug 15" trailer rims.
Deep Dish Style Cover



15" Wheel Cover 6 Lug with Open Center

Fits 15" Trailer Rims, snaps onto rim!

[Read More](#)

SKU: D2EQT655CLO

Categories: [15"](#)

Product Description

(1) 15" ABS Chromed Wheel Cover with Open Center snaps onto trailer rim and fits 6 Lug 15" trailer rims.
Deep Dish Style Cover



15" Wheel Trim Ring 5 or 6 Lug

Fits 15" Trailer Rims, snaps onto rim; wheel trim ring!

[Read More](#)

SKU: D2E1503

Categories: [15"](#)

Product Description

(1) 15" ABS Chromed Wheel Trim Ring snaps onto trailer rim and fits 5 or 6 Lug 15" trailer rims.



15" White Spoke Steel Rim 5 Lug x 4.5" BP

15" White Spoke Steel Rim 5 Lug x 4.5" BP !

[Read More](#)

SKU: D2E20422

Categories: [15"](#)

Product Description

- Rim Specs
 - 15"x5" White Spoke Steel Rim Powder Coated w/ Red/Blue Pinstripe &
 - Bolt Pattern 5 x 4.5"
 - Rim Capacity & PSI 1820# / 50PSI
 - 0 offset
 - 3.19" Pilot Diameter
-



15" X 6" Gloss White Modular Hole Rim w/ Red/Blue Pinstripe & Clear Coat, 6 x 5.5" BP

D2E20553 : 15" X 6" Gloss White Modular Hole Rim w/ Red/Blue Pinstripe & Clear Coat, 6 x 5.5" BP !

[Read More](#)

SKU: D2E20553

Categories: [Rims](#)

Product Description

- Rim Specs
- 15"x6" Gloss White Modular Hole Steel Rim Painted w/ Red/Blue Pinstripe & Clear Coated
- Bolt Pattern 6 x 5.5"
- Rim Capacity & PSI 2830 # / 80PSI
- 0 offset
- 4.27" Pilot Diameter



15" X 6" Gloss White Modular Hole Rim w/ Red/Blue Pinstripe, 5 x 4.5" BP

D2E20543 : 15" X 6" Gloss White Modular Hole Rim w/ Red/Blue Pinstripe, 5 x 4.5" BP !

[Read More](#)

SKU: D2E20543

Categories: [15"](#), [15"](#)

Product Description

- Rim Specs
 - 15"x6" Gloss White Modular Hole Steel Rim Powder Coated w/ Red/Blue Pinstripe &
 - Bolt Pattern 5 x 4.5"
 - Rim Capacity & PSI 2050# / 75PSI
 - 0 offset
 - 3.19" Pilot Diameter
-